

EFFLUENT QUALITY SUMMARY
July 2019/2020 – September 2019/2020

Table 1 – 2019 Monthly Permit Summary

Month	CBOD (mg/L)	TSS (mg/L)	TSS (lbs/day)	P (mg/L)	P ⁽³⁾ (lbs/day)	NH3-N ⁽¹⁾ (mg/L)	Fecal ⁽²⁾ Coliform Colonies/ (100 ml)	Chlorine ⁽²⁾ Residual (mg/L)	pH (s.u.)
<i>Permit Limit</i>	<i>25</i>	<i>30</i>	<i>1,322 ⁽³⁾</i>	<i>1</i>	<i>23 ⁽³⁾</i>	<i>10, 11, 4.4, 18</i>	<i>400 col/100ml Geo.Mean</i>	<i>0.038 mg/L daily</i>	<i>6.0 - 9.0 daily limit</i>
April 2019	7	3	408	0.16	24	5.11	NA	NA	7.1/8.1
May 2019	5	2	257	0.13	19	2.88	5	<0.032	6.9/7.2
June 2019	4	2	224	0.15	18	1.46	3	<0.032	6.7/7.1
July 2019	5	2	150	0.14	13	1.85	4	<0.032	6.8/7.1
August 2019	4	1	98	0.17	14	1.60	10	<0.032	6.8/7.2
September 2019	5	3	525	0.17	21	2.33	53	<0.032	7.1/7.3
May - October Period Average⁽³⁾					17				

Table 2 – 2020 Monthly Permit Summary

Month	CBOD (mg/L)	TSS (mg/L)	TSS (lbs/day)	P (mg/L)	P ⁽³⁾ (lbs/day)	NH3-N ⁽¹⁾ (mg/L)	Fecal ⁽²⁾ Coliform Colonies/ (100 ml)	Chlorine ⁽²⁾ Residual (mg/L)	pH (s.u.)
April 2020	6	2	218	0.11	12	4.51	NA	NA	6.9/7.1
May 2020	6	3	413	0.16	20	4.33	4	<0.100	6.7/7.1
June 2020	4	2	204	0.16	17	1.72	1	<0.032	6.6/6.8
July 2020	4	2	311	0.25	30	0.73	4	<0.032	6.7/6.9
August 2020	6	3	189	0.30	19	1.15	11	<0.032	6.6/7.2
September 2020	6	3	191	0.34	23	0.81	8	<0.032	6.8/7.2
May - October Period Average⁽³⁾					22				

NOTES:

- 1) Seasonal NH3-N limits: 10 mg/L Jan. 1 – Mar. 31, 11 mg/L Apr. 1 – May 31, 4.4 mg/L June 1 – Sep 30, 18 mg/L Oct 1 – Dec 31.
- 2) Seasonal fecal and residual chlorine limits are in effect May 1st through September 30th. Limit of Detection 0.032 mg/L.
- 3) April 1, 2017 WPDES Reissuance with new TSS limits expressed as monthly concentration limit (mg/L) and loading limit (lbs).
The future TMDL phosphorus limit will be 23 lbs/day expressed as a 6-month average during the months of May – October and November – April.