

Memorandum

To: Park & Recreation Committee

From: Dean R. Gazza, Director of Parks, Recreation and Facilities Management

Date: 1/14/2015

Re: Informational Item: Award Pierce Park Tennis Court Renovation Project to Valley Seal Coat, Inc. for a contract total not to exceed \$14,788.

The 2015 Capital Improvement Budget includes \$40,000 to provide for tennis court renovations at Pierce Park. The renovations will include leveling the surface, crack patching then applying two coats of tennis court grade acrylic paint. The courts will then be striped for regular and ages 10 and under play. The quotes for this project came in as follows:


Repair Cracks and Resurface Pierce Park Tennis Courts

Valley Sealcoat - \$14,788 **Awarded Project**

Fahrner, LLC. - \$15,209

Armstrong, Inc. - \$22,961

Please feel free to contact me at 832-5572 with any questions, or by email at dean.gazza@appleton.org. Thank you.



NOTES:

1. 10 AND UNDER TENNIS PLAYING LINES SHALL BE TEXTURED LINE PAINT WITHIN THE SAME FAMILY AS THE 78 FOOT COURT COLOR.
2. ALL 10 AND UNDER TENNIS PLAYING LINES SHALL TERMINATE 3 INCHES FROM THE 78 FOOT COURT LINES.
3. ALL 10 AND UNDER TENNIS PLAYING LINES SHALL BE 1 1/2" WIDE.
4. ALL 10 AND UNDER TENNIS PLAYING LINES SHALL BE MEASURED OUT TO OUT, WITH THE EXCEPTION OF THE CENTER LINES WHICH SHALL BE MEASURED OUT TO CENTER.
5. THE CENTER MARK FOR THE 36 FOOT COURT SHALL BE SET 2 INCHES OFF THE 78 FOOT COURT DOUBLES SIDELINE AND SHALL BE 2 INCHES LONG BY 1 1/2" WIDE.

10 AND UNDER TENNIS

36 AND 60 FOOT TENNIS STRIPING PLAN

NOVEMBER 4, 2010

