



City of Appleton

100 North Appleton Street
Appleton, WI 54911-4799
www.appleton.org

Meeting Agenda - Final Board of Building Inspection

Thursday, December 1, 2022

10:00 AM

6th Floor Council Chambers

1. Call meeting to order
2. Roll call of membership
3. Approval of minutes from previous meeting
[22-1507](#) Meeting Minutes from 6/30/22

Attachments: [Meeting Minutes 6-30-22.pdf](#)

4. Public Hearings/Apearances

5. Action Items

[22-1508](#) **724 S. Mueller St. (31-3-0737-00)** Build interior stairs that have riser heights from 8 $\frac{3}{4}$ inches to 7 $\frac{3}{4}$ inches. SPS 321.04(2)(b) requires a maximum riser height of 8 inches.

Attachments: [724 S. Mueller St.pdf](#)

[22-1509](#) **724 S. Mueller St. (31-3-0737-00)** Build interior stairs that have riser heights from 8 $\frac{3}{4}$ inches to 7 $\frac{3}{4}$ inches. SPS 321.04(e)(1) requires uniformity within $\frac{3}{8}$ of an inch.

Attachments: [724 S. Mueller St.pdf](#)

6. Information Items

7. Adjournment

Notice is hereby given that a quorum of the Common Council may be present during this meeting, although no Council action will be taken.

Reasonable Accommodations for Persons with Disabilities will be made upon Request and if Feasible.