EFFLUENT QUALITY SUMMARY January 2022/2023 – June 2022/2023

Table 1 - 2022 Monthly Permit Summary

| Month | CBOD (mg/L) | TSS (mg/L) | TSS (lbs/day) | P (mg/L) | P ⁽³⁾ (Ibs/day) | NH3-N ⁽¹⁾ (mg/L) | Fecal ⁽²⁾ Coliform Colonies/ (100 ml) | Chlorine ⁽²⁾ Residual (mg/L) | pH (s.u.) |
|---------------|----------------|---------------|----------------------|-------------|-------------------------------|--------------------------------|--|---|--------------|
| Permit Limit | 25 | 30 | 1,322 ⁽³⁾ | 1 | 23 ⁽³⁾ | 10, 11, 4.4, 18 | 400 col/100ml Geo.Mean | 0.038 mg/L daily | 6.0 - 9.0 |
| January 2022 | 6 | 4 | 250 | 0.20 | 14 | 1.43 | NA | NA | 6.1/7.1 |
| February 2022 | 6 | 5 | 345 | 0.20 | 13 | 1.03 | NA | NA | 6.8/7.0 |
| March 2022 | 5 | 4 | 604 | 0.19 | 26 | 0.66 | NA | NA | 6.8/7.2 |
| April 2022 | 5 | 2 | 371 | 0.13 | 20 | 0.42 | NA | NA | 7.1/7.2 |
| May 2022 | 5 | 2 | 171 | 0.13 | 13 | 0.10 | 168 | <0.032 | 7.0/7.3 |
| June 2022 | 4 | 1 | 118 | 0.12 | 14 | 0.11 | 5 | <0.032 | 6.9/7.2 |

Nov - April Period Average⁽³⁾ 17.3

May - October Period Average⁽³⁾ 14.0

Table 2 - 2023 Monthly Permit Summary

| Month | CBOD (mg/L) | TSS (mg/L) | TSS (lbs/day) | P (mg/L) | P ⁽³⁾ (lbs/day) | NH3-N ⁽¹⁾ (mg/L) | Fecal ⁽²⁾ Coliform Colonies/ (100 ml) | Chlorine ⁽²⁾ Residual (mg/L) | pH (s.u.) |
|---------------|----------------|---------------|------------------|-------------|-------------------------------|--------------------------------|--|---|--------------|
| January 2023 | 5 | 2 | 236 | 0.10 | 10 | 0.21 | NA | NA | 6.8/7.1 |
| February 2023 | 8 | 4 | 419 | 0.14 | 15 | 1.11 | NA | NA | 6.6/7.3 |
| March 2023 | 8 | 4 | 826 | 0.13 | 29 | 1.76 | NA | NA | 6.9/7.3 |
| April 2023 | 4 | 3 | 757 | 0.12 | 25 | 0.53 | NA | NA | 7.0/7.3 |
| May 2023 | 5 | 2 | 280 | 0.15 | 18 | 0.99 | 2 | <0.032 | 6.9/7.2 |
| June 2023 | 5 | 2 | 164 | 0.23 | 19 | 1.65 | 4 | <0.032 | 6.5/7.1 |

Nov - April Period Average⁽³⁾ 18.6

May - October Period Average⁽³⁾ 18.1

NOTES:

- 1) Seasonal NH3-N limits: 10 mg/L Jan. 1 Mar. 31, 11 mg/L Apr. 1 May 31, 4.4 mg/L June 1 Sep 30, 18 mg/L Oct 1 Dec 31.
- 2) Seasonal fecal and residual chlorine limits are in effect May 1st through September 30th. Limit of Detection 0.032 mg/L.
- 3) April 1, 2017 WPDES Reissuance with new TSS limits expressed as monthly concentration limit (mg/L) and loading limit (lbs).

The future TMDL phosphorus limit will be 23 lbs/day expressed as a 6-month average during the months of May – October and November – April.