2020-2021 Budget Carryover Requests - Under Contract

| Sanitation Fund | | Vendor | Description | Amount | Justification | | | | | |
|--------------------------|--------------------|-------------------------------|---|------------------|---|--|--|--|--|--|
| 2223 | 632700 | Toter LLC | Sanitation Carts | 54,050 | Product did not get delivered by year end. | | | | | |
| | . • | | • | | | | | | | |
| Health Gra | | l | <u></u> | 0.000 | 1 | | | | | |
| 2750 | 632400 | Helmer, Inc. | Freezer replacement | 9,780 | Immunization freezer, ordered Nov 2020, not delivered prior to year-end | | | | | |
| TIF # 11 | | | | | | | | | | |
| 4141 | 659900 | Various | TIF #11 Business Enhancement Grants | 6,050 | the completion of work. Funding will be paid out in 2021 for the completion of one | | | | | |
| | | | | -, | Construction completed late 2019. Still an active project with DNR and additional | | | | | |
| | | | | | requirements possible. On-going quarterly groundwater monitoring. Working with DNR on | | | | | |
| 4142 | 640400 | Omnni | Materials Testing - Rocky Bleier | 12,776 | , | | | | | |
| | • | | - | 18,826 | | | | | | |
| | | | | | | | | | | |
| TIF # 12 | | | | 1 | TIF Business Enhancement Grants allow for one year after the grant agreement dates for | | | | | |
| | | | | | the completion of work. Funding will be paid out in 2021 for the completion of one | | | | | |
| 4151 | 659900 | Various | TIF #12 Business Enhancement Grants | 21,541 | la l | | | | | |
| IT 0 | | | | | | | | | | |
| IT Capital F | | | T 11 00MA1 1/0 III | 0.075 | | | | | | |
| ITCAP | ERP | Tyler Technologies | Tax module-CAMA Import/Settlement | 8,375 | Open purchase order for tax module implementation | | | | | |
| Public Wor | ks Capital Project | s Fund | | | | | | | | |
| 4240 | 680999 | WisDOT | Prospect Ave. Bridge over Jackman St. | 58,615 | Three Party design contract with WisDOT and Bloom Companies. | | | | | |
| 4240 | 680999 | WisDOT | Lawe Street Bridge over Power Canal | 3,463 | | | | | | |
| 4240 | 680999 | WisDOT | Lawe Street Bridge over Power Canal | 19,313 | Construction contract with WisDOT | | | | | |
| 4240 | 640400 | Westwood | Onieda Street Bridge over Jones Park | 56,411 | DNR testing and monitoring project site continues into 2021 | | | | | |
| 4240 | 640400 | Patrick Engineering | Oneida St. Bridge over Jones Park | 45,066 | Multi year design & construction engineering contract | | | | | |
| 4240 | 640400 | Omnni | Materials Testing - Oneida Bridge | 12,776 | requirements possible. On-going quarterly groundwater monitoring. Working with DNR on | | | | | |
| 4240 | 632510 | Pieper Electric | Traffic | 19,643 | Product did not get delivered by year end. | | | | | |
| | | | | 215,287 | | | | | | |
| CEA Penia | cement Fund | | | | | | | | | |
| 4320 | 680403 | Casper's Truck Equipment | Flat bed chipper box | 39 867 | Product did not get delivered by year end. | | | | | |
| 4320 | 680403 | Ewald Automotive Group | 2500 Truck | | Product did not get delivered by year end. | | | | | |
| 4320 | 680403 | Ewald Automotive Group | 3500 Truck | | Product did not get delivered by year end. | | | | | |
| 4320 | 680403 | Envirotech Equipment | Dump truck | | Product did not get delivered by year end. | | | | | |
| 4320 | 680403 | Truck Country of WI | Freightliner | | Product did not get delivered by year end. | | | | | |
| 4320 | 680403 | Ewald Automotive Group | Jeep Grand Cherokee | 27,182 | Product did not get delivered by year end. | | | | | |
| | | · | | 661,902 | | | | | | |
| | | <u>.</u> | | | | | | | | |
| | apital Projects Fu | | Ta | | Turk to the state of the state | | | | | |
| Facilities | Facreno | Wesenberg Architects | Public Works Office Renovation | | Work to be completed in 2021 | | | | | |
| Facilities | Facreno | Nordon | Public Works Office Renovation | 10,000 | - | | | | | |
| Facilities | Facreno | KCB Supply Miron Construction | Parks Storage Addition FS#1 Bathroom Remodeling | 17,914 24.023 | Shelving was installed in January, 2021 Work Completed. Awaiting invoice Construction is carried into 2021 | | | | | |
| Facilities Facilities | Facreno | Cardinal Construction | MSB Exterior Improvements | , | | | | | | |
| Facilities | Bldgenvlp HVAC | Donohue | MSB HVAC | , | Construction carried into 2021 | | | | | |
| Facilities | HVAC | Great Lakes Mechanical | MSB HVAC | 433,040 | | | | | | |
| Facilities | Statuemon | KCI Conservation | Statue and Monument Restoration | | | | | | | |
| Facilities | AmpathIt | CR Fochs | AMP Lighting | | AMP lighting Installation in 2021 | | | | | |
| i aciiilles | πιτραιτιι | OIX I OUIS | / ···· = 19······9 | 24,500 | ggotaliation in Lot i | | | | | |

| Facilities | Traildevel | EXP | David and Rita Nelson River Crossing Design/E | 200,000 | Project engineering and design contract executed on 1/25/2021 |
|----------------|------------|---------------------------|---|------------|--|
| | | | | 925,309 | |
| Parking Utilit | v | | | | |
| 5123 | 632800 | Тарсо | Red Ramp TIBA Parking Signage | 15,000 | Ramp signage postponed due to pandemic |
| 3123 | 002000 | Тарсо | rearramp ribrer and goignage | 10,000 | Trainp dignage postponed due to pandemo |
| Stormwater U | Jtility | | | | |
| | | | | | Work started in 2020 but not finished includes erosion control review and training, raw water line esc permitting, 3001 Glendale esc permitting, S&D Masonry swmp, North |
| 5210 | 640400 | RA Smith | 2020B Stormwater Plan Review | 25,552 | |
| 0210 | 0.10.100 | TO CHINA | 2020D Clottinator Flam (Conor) | 20,002 | Work started in 2020 continuing into 20021 include Fox Valley MOB, Evergreen Heights, |
| 5210 | 640400 | Brown & Caldwell | 2020A Stormwater Plan Review | 21,523 | Harrison Mirragio, Appleton Ice, Erosion Control Review. |
| 5210 | 640400 | Brown & Caldwell | 2020D City-wide Stormwater Plan Update | , | Grant project on-going. Expected 2-3 year timeline. On schedule./ |
| 5210 | 640400 | McMahon Associates | Oneida St and Lawrence St SWMP | 17,782 | , |
| 5222 | 640800 | Hydro-Klean | Spot Repairs, Pro. Tap, Min. Dep. Removals | 43,014 | , , |
| | | | Bear Creek Box Culvert & Spartan/Sommers | | Significant repair needed to retaining wall in spring/summer 2021. Amount should cover current retainage, extra work for prepairing the crack for winter, and \$12,500 agreed to |
| 5230 | 680904 | Highway Landscapers | Retaining Wall | 26,606 | |
| 0200 | | mg.may <u>Landocaporo</u> | Bear Creek Box Culvert & Spartan/Sommers | 20,000 | |
| 5230 | 680904 | Highway Landscapers | Retaining Wall | 58,116 | Contingency |
| 5230 | 680904 | Radtke Contractors | Rubyred Bridge | 18,240 | Work begun in 2020, scheduled for completion in 2021 |
| 5230 | 640400 | Westwood (Omnni) | Materials Testing | 5,175 | Lightning Drive geotechnical on-going |
| 5230 | 640400 | raSmith | Lightning/French Corridor | - , | Contracted late 2019. Work to be completed in 2021 |
| 5230 | 640400 | raSmith | Lightning Dr Extension Design | 4,732 | Work begun in 2019, scheduled for completion in 2021 |
| 5230 | 640400 | raSmith | 2020G Lightning Dr 60% Ext Design | 48,655 | |
| 5230 | 640400 | raSmith | 2020H Edgewood Dr Study | 47,500 | |
| | | | 2017F Evergreen Alvin Stormwater design and | | City provided necessary plan documents to McMahon in December 2020. McMahon to |
| 5230 | 640400 | McMahon Associates | permits | 7,472 | begin permitting work in January 2021 prior to summer 2021 construction. |
| | | | | 467,104 | |
| Water Utility | | | | | |
| | | | | | Geotechnical for water main crossing railroad row on Atlantic St, Weimer Ct and Appleton |
| 53206600 | 640400 | Westwood (Omnni) | Materials Testing | 49,505 | St on-going |
| 53206730 | 680905 | Advance Construction | Ballard Road Water Reconstruction | 92,307 | Project to be completed in Spring 2021 |
| WTRSUPPLY | | McMahon | Intake Shore Well & Lake Station Upgrades | 152,575 | · |
| WTRSUPPLY | | Miron | Intake Shore Well & Lake Station Upgrades | 2,588,989 | · · |
| 53336400 | 640400 | Jabobs Engineering Group | Corrosion Control Study | 74,905 | , , |
| 53379230 | 640400 | AECOM | AWIA Risk Assessment | 20,300 | Project completed for risk planning requirement. Response plan is still needed. Both are required by the US EPA |
| 5557 5250 | 040400 | ALCOM | / WWW TRICK / ROODSHITOIR | 2.978.581 | Installed by the GG El 71 |
| | | | | _,0.10,001 | |
| Wastewater l | Jtility | 1 | | | |
| E 407 | 640000 | Lhudro Klasa | Spot Repairs, Pro. Tap, Min. Dep. Removals | 70.000 | Contractor deleve weiting for final elegants decumentation |
| 5427 | 640800 | Hydro-Klean | Opot Nepallo, Flo. Tap, Will. Dep. Removals | 73,006 | Contractor delays, waiting for final closeout documentation |
| 5427 | 640800 | TBD | Spot Repairs, Pro. Tap, Min. Dep. Removals | 90,000 | Delays to N-19 prevented bidding project in 2020 |
| 5431 | 680903 | PTS Contractors | North Edgewood Sanitary Lift Station | 27,500 | |
| WWUTL | PIPING | McMahon Assoc | 2019 Piping Improvement Project | 83,431 | Construction to start in 2021 (available \$56,371) |
| | | | 2010 2011 | | Contract was awarded December 2020. Construction to be completed late 2021 or early |
| WWUTL | PIPING | Staab Construction | 2019 Piping Improvement Project | 3,025,125 | |
| WWUTL | PROCIMPRV | Donohue Assoc | 2017 Process Improvement Project | 38,299 | |
| WWUTL | PROCIMPRV | August Winter | 2017 Process Improvement Project | 10,000 | 3 , 3 , |
| WWFMD | ELECTDISTR | Patrick Engineering | 2019 Substation Design | 27,000 | Construction started in 2020, to be completed in 2021. |

| WWFMD | ELECTDISTR | Patrick Engineering | Unit Substation 1 &2 | 51,000 | Project state late in 2020, construction will start later in 2021 |
|---------------|---------------------|---------------------------------|--|------------|---|
| WWFMD | ELECTDISTR | McMahon Associates | Demo/Reno E Bldg Electrical | 8,000 | Project started late in 2020, construction work will start later in 2021. |
| WWFMD | ELECTDISTR | Van Ert | WWTP Substation Upgrade | 361,764 | Construction started in 2020, to be completed in 2021. |
| WWFMD | HVAC | Donohue Assoc | WWTP D Building Design | 4,970 | Project started late in 2020, construction will start later in 2021. |
| WWFMD | HVAC | EGI Mechanical | HVAC A & S Bldg | 113,269 | Construction started in 2020, to be completed in 2021. |
| WWFMD | HVAC | B&P Mechanical | WWTP D-Building HVAC | 93,976 | Contract awarded late 2020, work to be completed in 2021. |
| WWFMD | HARDSCAPE | McMahon | WWTP Road Repairs | 42,790 | Design started in 2020, for 2021 construction. |
| 5422 | 641600 | Berglund Construction | Painting at WWTP | 5,538 | Balance of contingency, project not complete at year-end. |
| | | | | 4,056,328 | |
| Valley Transi | it | | | | |
| 58072000 | 680401 | Baycom | Radio System | 14,209 | Project incomplete |
| 58072000 | 680403 | New Flyer | 5 Heavy Duty 35ft. Buses | | Buses are in production |
| 58075000 | 680401 | Ecolane | Scheduling and dispatch software | 13,403 | Project incomplete |
| 58072000 | 680403 | Ewald | Staff vehicle purchase | 30,032 | |
| Subtotal - Va | Illey Transit under | contract | | 2,591,069 | |
| | • | | | | |
| GENERAL F | UND | | | | |
| DPW | | | | T | T |
| 17014 | 640400 | Westwood (Omnni) | Materials Testing | 5,175 | |
| 17014 | 680901 | WISDOT | Oneida Skyline Bridge/Prospect Ave. Inter. | 3,000 | |
| 17014 | 640400 | | Bike & Ped On-Call Consulting Services | 15,000 | , |
| 17022 | 632510 | Tapco | Traffic | 1,600 | ů ,,, |
| 17032 | 640400 | Westbrook Associated Engine | ů i | 5,922 | |
| 17032 | 640400 | Collins Engineering | Bridge Maintenance RFP | 2,027 | |
| 17033 | 632508 | Morton Salt | Road Salt | 195,780 | Product did not get delivered by year end. |
| Police | | | | | |
| 17511 | 631603 | Oshkosh Fire & Police Equip | Retirement Badges | 1,260 | Badges ordered in 2020, received in 2021 |
| 17511 | 632101 | Ray O'Herron | New officer guns | 2,075 | Guns ordered in 2020, received in 2021 |
| 17511 | 632700 | Advantage Police Supply/ Nels | SWAT equipment | 8,520 | SWAT body armor, helmets and equip ordered in 2020, received in 2021 |
| Fire | | | | | |
| 18033 | 632700 | Jefferson Fire and Safety, Inc. | Fire hose. | 3,279 | Ordered in early December-longer than usual shipping timeframe. |
| 18033 | 632700 | Elevated Safety | Rope Rescue Equipment | | Shipped on 12/21/2020didn't arrive until after 1/1/2021. |
| General Fund | d Total | | | 247,548 | |
| Concrair un | a 10101 | | | 247,340 | |
| Grand Total | - Under Contract | | | 12,270,700 | |
| | | 1 | I . | ,, | 1 |