




- Sidewalk - 2015 Construction
- Retaining Wall - 2015 Construction
- Stairs - 2016 Construction


RADIUS TABLE

POINT	STATION	OFFSET	RADIUS
1	498+35.26	31.00' RT	16'
2	498+20.72	53.00 LT	38'
3	502+74.81	47.50 LT	32.5'
4	502+17.24	17.00 RT	2'
5	502+17.27	19.00 RT	4'
6	502+86.01	28.55 RT	15'
7	202+92.43	23.85 RT	4'
8	502+24.38	25.00 RT	12'
9	502+20.25	27.97 RT	7'
10	503+35.47	25.24 RT	5'



- CONSTRUCT CURB RAMP TYPE 3 DETECTABLE WARNING FIELD REQ'D LEGEND**
- (CG01) CONCRETE CURB & GUTTER INTEGRAL 30-INCH TYPE D
 - (CG02) CONCRETE CURB & GUTTER 30-INCH TYPE D
 - (CP01) CONCRETE PAVEMENT 8-INCH (NON-REINFORCED DOWELED) (TYP)
 - (CS01) CONCRETE SIDEWALK 4-INCH
 - (CS02) REINFORCED CONCRETE SIDEWALK 5-INCH
 - (CS03) CONCRETE SIDEWALK 7-INCH
 - (CS04) CONCRETE STEPS
 - (CS05) CONCRETE SURFACE DRAIN
 - (DRO1) CONCRETE DRIVEWAY 6-INCH
 - (AP01) 4-INCH HMA PAVEMENT TYPE E-3







AESTHETIC ELEVATION
(LOOKING WEST)

FORMLINER NOTES

- FORMLINER COURSING ON ABUTMENTS AND WINGS SHALL BE LEVEL.
- THE FORMLINER COURSING ON THE WINGS SHALL BE VERTICALLY ALIGNED WITH THE FORMLINER COURSING ON THE FRONT OF THE ABUTMENT.
- THE FORMLINER PATTERN SHALL BE CONTINUOUS ACROSS CONSTRUCTION JOINTS.
- WRAPAROUND/MATCH FORMLINER PATTERN AT CORNERS.
- THE FORMLINER PATTERN SHALL BE A RANDOM CUT COURSED STONE PATTERN SIMILAR IN SIZE AND TEXTURE TO THE STONE ON THE EXISTING BRIDGE. APPROXIMATE BLOCK AND COURSING DIMENSIONS ARE GIVEN IN THE FORMLINER DETAIL.
- THE HEIGHT OF THE FORMLINER COURSES WILL VARY, SIMILAR TO THE EXISTING BRIDGE. THE RANDOM COURSE HEIGHT IS NOT DEPICTED IN THE DRAWING.
- APPLY FORMLINER TO EXPOSED FACE OF ABUTMENT AND WINGWALLS ONLY.

CONCRETE STAINING NOTES

- CONCRETE STAIN SHALL BE TAN, FEDERAL COLOR #33690.
- APPLY CONCRETE STAIN TO SURFACES WITH FORMLINER ONLY. DO NOT APPLY STAIN TO PARAPETS, GIRDERS, DECK, SIDEWALK, ABUTMENT DIAPHRAGMS OR PLAIN CONCRETE CAPS ABOVE FORMLINER.



RECTANGULAR CUT STONE FORMLINER

FORMLINER THICKNESS = 4"
COURSE HEIGHT VARIES = 6", 8", 10" & 12", RANDOMLY PLACED
MAX. RELIEF = 3"
STONE LENGTH = 24"-48"

SECTION THRU FORMLINER

▽ STRUCTURAL CONCRETE CAN ONLY BE ASSUMED TO THIS LINE.

FILE NAME: F:\BM4-038 Prospect Ave Bridge\Bridges\ds05_B44284_aesth det.dgn
DATE: 8/1/2014 5:59:00 PM Plotted by: tbroverman PEN TABLE: V8-STRUCTURAL-REV.TBL

NO.	DATE	REVISION	BY
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION STRUCTURES DESIGN SECTION			
STRUCTURE B-44-284			
DRAWN BY		TB	PLANS CK'D. JRS
AESTHETIC DETAILS			SHEET 5 OF 28