



# City of Appleton

100 North Appleton Street  
Appleton, WI 54911-4799  
[www.appleton.org](http://www.appleton.org)

## Meeting Agenda - Final-revised Board of Building Inspection

---

Wednesday, July 10, 2019

9:00 AM

6th Floor Council Chambers

---

1. Call meeting to order
2. Roll call of membership
3. Approval of minutes from previous meeting  
[19-0914](#) Minutes from October 18, 2018

**Attachments:** [Minutes Oct. 18, 2018.pdf](#)

### 4. Public Hearings/Apearances

### 5. Action Items

- [19-0913](#) **1004 W. Kamps Ave. (31-5-2650-00)** Proposed construction of stairs that have a consistent ten (10) inch rise. Section 321.04(2)(b) of the Uniform Dwelling Code states that risers may not exceed eight (8) inches in height measure vertically from tread to tread.

**Attachments:** [1004 W. Kamps Ave.pdf](#)

- [19-0963](#) **100 N. Appleton St. (31-8-9999-01)** The plan is to use the existing escalator connecting the 5th and 6th floors as a stationary stairway. The proposed stairway is not a required egress path. It would be in addition to the required vertical access points between floors 5 and 6, and will be available for convenience purposes only. The proposed stairway would have a rise of eight (8) inches. SPS 1009.3 requires stairways to have a rise of between seven (7) inches maximum and four (4) inches minimum. The width of the steps would be two (2) feet. SPS 1009.1 requires steps to be at least forty four (44) inches.

**Attachments:** [100 W. College Ave.pdf](#)

### 6. Information Items

7. Adjournment

*Notice is hereby given that a quorum of the Common Council may be present during this meeting, although no Council action will be taken.*

*Reasonable Accommodations for Persons with Disabilities will be made upon Request and if Feasible.*