

City of Appleton

Meeting Agenda - Final-revised

Safety and Licensing Committee

Wedne	esday, January 27	7, 2021 5:30 PM Council C	hambers, 6th Floor
1.	Call meetir	ng to order	
2.	Roll call of	f membership	
3.	Approval o	of minutes from previous meeting	
	<u>21-0112</u>	Approval of minutes from previous meeting.	
		Attachments: <u>S & L Minutes 1-13-21.pdf</u>	
4.	Public Hea	arings/Appearances	
5.	Action Iter	ms	
	<u>21-0116</u>	Recommendation to deny the Operator License for Robert Budric	ck.
		Attachments: RobertBudrickApplication.pdf	
		RobertBudrickDenialLetter.pdf	
	<u>21-0122</u>	Request to Temporarily Modify the Special Event Policy related to Extending Application Fee Carryover due to COVID-19	0
		Attachments: Memo- Special Event Fee Carryover Extension.pdf	
	<u>21-0123</u>	Reserve "Class B" Liquor and Class "B" Beer License Change of application for Fox River Boat Holding Co. LLC d/b/a River Tyme Candice Mortara, New Agent, located at 425 W Water St Unit 10 contingent upon approval from Appleton Police Department. <u>Attachments:</u> Candice Mortara S&L.pdf	Bistro,
6.	Informatio	on Items	

21-0117Correction of Ward Designation for Sequoia Drive Annexation- Ordinance
#104-20 to include the portion of the road & right-of-way formerly in the
Town of Grand Chute to be in existing Ward 39

Attachments: Sequoia Drive Annex - Ward Split Map.pdf

21-0113 Directors Reports

- 1. City Clerk
 - Spring Primary Election Reminders
 - New Deputy Clerk
- 2. Police Chief
 - Lexipol Policy Management Program Update
- 3. Fire Chief
 - Covid-19 Vaccinations
 - Hiring Process Updates
 - NIOSH LODD Report (see attached)

Attachments: NIOSH LODD Report.pdf

7. Adjournment

Notice is hereby given that a quorum of the Common Council may be present during this meeting, although no Council action will be taken.

Reasonable Accommodations for Persons with Disabilities will be made upon Request and if Feasible.



City of Appleton

Meeting Minutes - Final Safety and Licensing Committee

Wednesday, January 13, 2021		21	5:30 PM	Council Chambers, 6th Floor
1.	Call meeting to c	order		
		This meeting w	vas called to order by Chair Siebers at 5:	30 p.m
2.	Roll call of mem	pership		
	Pi	resent: 4 - Sie	bers, Lobner, Schultz and Van Zeeland	
	Α	bsent: 1 - Re	ed	
3.	Approval of minu	ites from prev	vious meeting	
	<u>21-0035</u>	Approval of r	ninutes from previous meeting	
		<u>Attachments:</u>	S&L Minutes 12-9-2020.pdf	
			l, seconded by Schultz, that the Minute I by the following vote:	es be approved. Roll Call.
		Aye: 4 - Sie	ebers, Lobner, Schultz and Van Zeeland	
	A	bsent: 1 - Re	eed	
4.	Public Hearings	/Appearance	es	

5. Action Items

20-1641Class "B" Beer and "Class B" Liquor License application for Zeusinator
LLC d/b/a Ambassador, Corbin Schiedermayer, Agent, located at 117 S
Appleton St, contingent upon approval from all departments.

Attachments: Ambassador.pdf

Lobner moved, seconded by Van Zeeland, that the Report Action Item be recommended for approval. Roll Call. Motion carried by the following vote:

Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland

Absent: 1 - Reed

<u>21-0007</u>	Class "A" Beer and "Class A" Liquor License application for Nepal LLC d/b/a Memorial Liquor, Puspa Subedi, Agent, located at 415 S. Memorial Dr, contingent upon approval from all departments. <u>Attachments:</u> Memorial Liquor.pdf
	Lobner moved, seconded by Van Zeeland, that the Report Action Item be recommended for approval. Roll Call. Motion carried by the following vote:
	Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland
	Absent: 1 - Reed
<u>20-1642</u>	Class "A" Beer License application for Auto Stop LLC d/b/a Oneida St BP, Shahezad S Noorani, Agent, located at 1306 S Oneida St, contingent upon approval from all departments.
	Attachments: Oneida St BP.pdf
	Lobner moved, seconded by Van Zeeland, that the Report Action Item be recommended for approval. Roll Call. Motion carried by the following vote:
	Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland
	Absent: 1 - Reed
<u>21-0039</u>	Class "B" Beer and "Class B" Liquor License Change of Agent application for McGregors LLC d/b/a The Durty Leprechaun, Jonathon E Kuehn, New Agent, located at 343 W College Ave, contingent upon approval from Appleton Police Department.
	Attachments: Jonathon E Kuehn S&L.pdf
	Lobner moved, seconded by Van Zeeland, that the Report Action Item be recommended for approval. Roll Call. Motion carried by the following vote:
	Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland
	Absent: 1 - Reed
<u>20-1639</u>	Cigarette License application for Driftwood Special Servicing LLC d/b/a Appleton Red Lion Paper Valley Hotel, Linda Garvey, Agent, located at 333 W College Ave.
	Attachments: Driftwood - Red Lion S&L.pdf
	Lobner moved, seconded by Siebers, that the Report Action Item be recommended for approval. Roll Call. Motion carried by the following vote:
	Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland
	Absent: 1 - Reed

<u>21-0016</u>	Cigarette License application for Nepal LLC d/b/a Memorial Liquor, Puspa Subedi, Applicant, located at 415 S Memorial Dr.
	Attachments: Memorial Liquor S&L.pdf
	Lobner moved, seconded by Siebers, that the Report Action Item be recommended for approval. Roll Call. Motion carried by the following vote:
	Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland
	Absent: 1 - Reed
<u>21-0018</u>	Cigarette License application for Auto Stop LLC d/b/a Oneida Street BP, Shahezad Noorani, Applicant, located at 1306 S. Oneida St.
	Attachments: Oneida St BP S&L.pdf

Lobner moved, seconded by Siebers, that the Report Action Item be recommended for approval. Roll Call. Motion carried by the following vote:

Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland

Absent: 1 - Reed

6. Information Items

<u>21-0036</u>

Director's Reports

- 1. City Clerk
- 2. Police Chief

- Introduction of Lt. Adam Nagel who will be handling all licensing processes

- Hiring Update
- 3. Fire Chief
 - Update on changes to performance evaluations

7. Adjournment

Lobner moved, seconded by Van Zeeland, that the meeting be adjourned at 5:44 p.m. Roll Call. Motion carried by the following vote:

Aye: 4 - Siebers, Lobner, Schultz and Van Zeeland

Absent: 1 - Reed

	in 212 fr
	FEES ARE NON-REFUNDABLE Date Recv'd
	C Operator License \$67.00 Acct Code CLCOPS
A A A A A A A A A A A A A A A A A A A	Operator License \$82.00 Acct Code. CLCOPP
Anthonom	C plus a provisional
NPP*	Total fee paid \$ Receipt # :
"meeting community needs enhancing the quality of life"	
ennancing the quality of hje	Original Application
LICENSE APPLICATION for	(D) Renewal – License #
OPERATOR'S (BARTENDER'S) LICENSE Retu	urn application to: City Clerk, 100 N. Appleton Street, Appleton, WI 54911-4799
SECTION 1 – APPLICANT INFORMATION	
Applicant Name (Last, First, MI) – FULL NAME - NOT NICK NAME OR S	
Street Address	City A State Zip
(2) N Center St	Appleton WI 54911
Driver's License Number/State Identification Number	State License Issued In:
Date of Birth	me Phone Number Cell phone Number
Name and Address of Establishment you will be selling alcohol	
Name and Address of Establishment you will be sening alcohol	
SECTION 2 – CONVICTION RECORD – <u>NEW APPLICANT</u>	: You are required to list each and every violation and/or
이 이 방법은 것 같아요. 이 이 가슴에 있는 것 같아요. 이 이 것은 것은 것이 아니는 것 같은 것 같아요. 이 가슴에 가슴 가슴을 가 다 나라.	state. Failure to provide complete answers may result in a
denial of your application. Have you EVER had an Operator's (Bartender's) License	? YES (NO)
If Yes; where?	
Have you EVER been convicted of a felony?	YES (NO)
If Yes; when, where and what type of violation? (Please	e be specific)
Have you EVER been convicted of a misdemeanor or ord	
If Yes; when, where and what type of violation? (Examp 0053 THC 0055 (Supposed to Derive to	
	ANT: List any pending charges, citations, tickets and all
	te. Failure to provide complete answers may result in a denial
of your application.	
Have you EVER had an Operator's (Bartender's) License	? YES NO
If Yes; where?	
Have you been convicted of a felony since last license and lif Yes; when, where and what type of violation? (Please	
The rest when, where and what type of violation: (Flease	
Have you been convicted of a misdemeanor or ordinance	e violation since last license application? YES (NO)
If Yes; when, where and what type of violation? (Examp	le: speeding, OWI)
SECTION 3 – PENALTY NOTICE Under penalty of law, I swear that the information provided in this ap	nlication is true and correct to the best of my knowledge and belief
Signature:	picator is if de and correct to the best of my knowledge and benef.
Kabu Dudrun	
FOR OFFICE USE ONLY	Description
Department Approve Deny By	Reason
POLICE	
Date sent to APD Class Completion Date Current of	other license:
$ _{1} _{1} _{1} _{1} _{1} _{1} _{1} _{$	
	#
Date Issued Expiration Date License N	Number

App	"meeting community needsenhancing quality of life."
TO:	Safety and Licensing Committee
FROM:	Lt. Adam Nagel

DATE: 12/12/20

RE: Denial of Robert Budrick

Committee Members:

I am requesting that the Safety and Licensing Committee recommend to the Common Council to deny Robert Budrick's application for a bartender's license. In addition to his most recent criminal charges being substantially related to the ability to responsibly sell alcohol, I find Robert Budrick to be a habitual law offender.

The most recent arrest of Robert Budrick occurred on 06/10/2020. During this incident Robert was involved in a disturbance at Rookie's bar in Appleton and arrested. Robert currently has three open cases through the Outagamie District Attorney's office (2020CF00048, 2020CF000367 and 2020CF000517. These offenses range from Strangulation/Suffocation, Disorderly Conduct and Bail jumping. The common issue in these incidents is Robert's consumption of alcohol.

Reviewing Robert's prior history of police contacts, I find the following are substantially related to the sale of alcohol and demonstrate that Robert Budrick is a habitual law offender.

He was found guilty of Possession of Drug Paraphernalia in Outagamie County case number 2004CM00295.

He was found guilty of OWI 2nd in Outagamie County case number 2011CT000179.

He was found guilty of two counts of Theft from a Business setting in Outagamie County case 2017CM000016.

The service of alcohol includes encountering individuals in a vulnerable state and the Police Department feels Robert Budrick has not demonstrated the necessary maturity and decisionmaking capacity to be allowed a bartender's license in the City of Appleton. His violations of court orders and recent issues in license premises show his on-going criminal behavior. His arrest and conviction record go back many years that further corroborates the decision to recommend denial of his license request and demonstrates that he is a habitual law offender.

Respectfully:

Lt. Adam Nagel #9191 Appleton Police Department



LEGAL SERVICES DEPARTMENT Office of the City Clerk Kami Lynch, Clerk 100 North Appleton Street Appleton, WI 54911 Phone: 920/832-6443 Fax: 920/832-5823

To: William Siebers, Safety & Licensing Committee Chair, Safety & Licensing Committee Members

From: Kami Lynch, City Clerk

Date: January, 22, 2021

Re: Temporarily Extending Special Event Fee Carry-over due to COVID-19

The Special Events Policy currently allows for fees of cancelled events to be carried over and used within one calendar year of the event date. The majority of 2020 special events were cancelled due to the COVID-19 pandemic.

Special Events Policy-

D. Fees

(6.) <u>Non-Refundable</u>. All fees are non-refundable with the exception of fees for events that are cancelled by the applicant and/or the City due to weather conditions or by the City for the unforeseen or unexpected unavailability of the event venue that is not caused by an act or inaction of the applicant, in which case the fees will revert to a credit the applicant can use for rescheduling the event or for a similar event. The credit must be used within one (1) calendar year from the date of the cancelled event. No cash refunds will be given if the full value of the credit is not used by the applicant. If the event is cancelled by the applicant due to weather conditions, notification to the City Clerk must be made as soon as reasonably possible.

The Special Events Committee has met to discuss options for event holders in 2021, as the COVID-19 pandemic continues and would like to offer the opportunity to extend the fee carry-over of unused 2020 fees into 2022 if requested by applicants. The request is for a temporary extension of carry-over fees into 2022, due to the COVID-19 pandemic.

Respectfully.

Kami Lynch, City Clerk

Schedule for Appointment of Agent by Corporation / Nonprofit $\pm 1727-2$ **Organization or Limited Liability Company**

Submit to municipal clerk.

All corporations/organizations or limited liability companies applying for a license to sell fermented malt beverages and/or intoxicating liquor must appoint an agent. The following questions must be answered by the agent. The appointment must be signed by an officer of the corporation/organization or one member/manager of a limited liability company and the recommendation made by the proper local official.

To the gove	rning body of:	Town	of APPLETOW	County of	OUTAGARIS
		City			
The undersi	igned duly auth		nember/manager of FOK (UVER BOAT HOLD	1r6 Co LLC ganization or Limited Liability Company)
			ty company making application		
	IVER TY		TRO		
located at _	425 W	NATR	ST APPLCT	») 7) N	
appoints _	CANPI	LE Mo	RTARA		
	1301 N.	BRIAR	(TTARA (Name of Appointe (Horrie Address of Appo (Horrie Address of Appo	d Agent) U (TO) W , W 54 sinted Agent)	915
to alcohol b	e corporation/o everages cond	rganization/limi ucted therein. I	ted liability company with full a	authority and control of the pr ting in that capacity or reque	emises and of all business relative sting approval for any corporation/
Yes	K No If s	so, indicate the	corporate name(s)/limited liab	ility company(ies) and munici	pality(ies).
	agoat aubicat t	a completion o	f the responsible beverage ser	vor training course?	/es 🗌 No 🔔
			application has the applicant		
now long in	nmeolately prior	to making this	application has the applicant	agent resided continuously in	Wisconsiny
Place of res	sidence last ye	ar			·
	Fc	r: Fore 1	Ziver Brot H	olding Co LL	-Ĉ
		nm	River Boot H (Name of Corporat	ion / Organization / Limited Liability	Company)
	5	y:	isimat isimat	ure of Officer / Member / Manager)	
Any person \$1,000.	who knowingly	provides mate			e required to forfeit not more than
			ACCEPTANCE B	YAGENT	
1, <u>CA</u> r	JDICE ,	MORTHA (Print / Typ	e Agent's Name)		pt this appointment as agent for the
corporation	/organization/li	mited liability			of all business relative to alcohol
<u> </u>	hoten		۰	1/24/21	Agent's age
1301 1		Signature of Agent) <u>ACLIFF</u> (Hc	The Address of Agent)	WI SVA15	Date of birth
			PPROVAL OF AGENT BY M Clerk cannot sign on behalf		
	•		cipal and state criminal record satisfactory and I have no obj	-	dge, with the available information, I.
Approved o	n	by		Title	

Approved on	by		Title
•• —	(Date)	(Signature of Proper Local Official)	(Town Chair, Village President, Police Chief)
AT-104 (R. 4-18)			Wisconsin Department of Revenue

Auxiliary Questionnaire Alcohol Beverage License Application

Submit to municipal clerk.


Individual's Full Name (please print) (last name)		(first name)	(middle	name)
(ANDICE L. MORT	AnA			
Home Address (street/route)	Post Office	City	State	Zip Code
1301 N. BRIARCLIFF DI		APPLETO		54915
Home Phone Number		Age Date of Birth	Place o	ANPACA, WI
				ITV ITUT, WI
The above named individual provides the	following information a	as a person who is <i>(check o</i>	ne):	
Applying for an alcohol beverage lice	-			
A member of a partnership which is	making application for	an alcohol beverage licen	se.	
(Officer / Director / Member / Manager / /	of For	(RIVER BOAT H (Name of Corporation, Limite	OLDING CD	uc
			d Liability Company or Nonp.	fofit Organization)
which is making application for an alo	cohol beverage license).		
The above named individual provides the	following information t	to the licensing authority:		
1. How long have you continuously resid				
2. Have you ever been convicted of any				
violation of any federal laws, any Wisc or municipality?				Yes 🕅 No
If yes, give law or ordinance violated,				
status of charges pending. (If more roo				-
		·		
3. Are charges for any offenses presentl				
for violation of any federal laws, any V municipality?	=			
If yes, describe status of charges pen				
4. Do you hold, are you making applicati		ficer, director or agent of a	corporation/nonprof	t
organization or member/manager/age	nt of a limited liability of	company holding or applyir	ng for any other alcol	lor lor
beverage license or permit?				Yes 📈 No
If yes, identify.	(Nan	ne, Location and Type of License/Peri	mit)	
5. Do you hold and/or are you an officer,	•			or
member/manager/agent of a limited li			•	-
brewery/winery permit or wholesale lid	uor, manufacturer or r	ectifier permit in the State	of Wisconsin?	🗌 Yes 🛛 🕅 No
If yes, identify.				
•	holesale Licensee or Permittee)		(Address By City a	nd County)
6. Named individual must list in chronolo		nployers.	1	
Employer's Name SELF EMPLOYED	Employer's Address		Employed From	То
<u> </u>	Employer's Address		Employed From	To

READ CAREFULLY BEFORE SIGNING: Under penalty provided by law, the undersigned states that each of the above questions has been truthfully answered to the best of the knowledge of the signer. The signer agrees that he/she is the person named in the foregoing application; that the applicant has read and made a complete answer to each question, and that the answers in each instance are true and correct. The undersigned further understands that any license issued contrary to Chapter 125 of the Wisconsin Statutes shall be void, and under penalty of state law, the applicant may be prosecuted for submitting false statements and affidavits in connection with this application. Any person who knowingly provides materially false information on this application may be required to forfeit not more than \$1,000.

Signature of Named Individual)

ANNEXATION EXHIBIT

Part of Lot 2 of Certified Survey Map No.5163, part of the East One-half (\mathbb{E}) of the Fractional Northwest Quarter (NW ¼) and part of the West 40 Acres of the Fractional Northeast Quarter (NE ¼) of Section 5, Township 21 North, Range 18 East, Town of Grand Chute and Town of Vandenbroek, Outagamie County, Wisconsin.





1000 FREDERICK LANE, MORGANTOWN, WV 26508 • 304.285.5916

Career Firefighter Killed, a Police Officer and a Civilian Wounded When They Were Shot During EMS Incident—Wisconsin

Executive Summary

On May 15, 2019, a career firefighter was killed, and a police officer and a civilian were injured after being shot while on an emergency medical services (EMS) incident involving a patient who overdosed. The firefighter was part of a three-person crew on engine 9321 that was dispatched along with a private ambulance company at approximately 5:30 p.m. to the report of a patient who had a seizure on a public bus at a bus terminal. A police officer was first on scene.

The unconscious patient was successfully treated with naloxone on the bus by a paramedic and regained consciousness. The patient and responders then exited the bus at 5:47 p.m. A second police officer arrived after the patient walked off the bus.

The police officers, fire, and EMS crews believed that the naloxone would wear off and were concerned for the patient's continued well-being. All of the responders expressed their concerns for the patient's well-being to the patient multiple times. Because all of the responders believed the patient would need additional medical assistance and should be transported to a local hospital for follow-up medical care, the police officers asked the patient repeatedly if he had anything on his person that could harm the fire and/or EMS responders. During this conversation, the patient abruptly produced a concealed handgun and began firing at the responders. Police officers immediately returned fire as they moved to cover. The fire and EMS crews also ran for cover. The patient/shooter and police officers exchanged gun fire. One firefighter was shot within 3 seconds of the handgun being produced by the patient and collapsed while seeking cover. He was found unresponsive approximately 80 seconds later and treated at the scene and transported to a local hospital where he was pronounced dead. A police officer was shot while returning gun fire. The patient/shooter took a civilian bystander as a hostage and continued to fire until the patient/shooter was shot and fell to the ground. The civilian hostage was also shot. The patient/shooter was secured, provided medical treatment for his injuries and transported to a local hospital where he was pronounced dead. The wounded police officer was transported to a local hospital by a fellow police officer. The wounded civilian was transported by ambulance to a local hospital. Both the wounded police officer and civilian were treated at local hospitals and recovered. The first gun shot was fired by the patient at 6:09 p.m. This was 39 minutes after the arrival of emergency responders and 22-minutes after exiting the bus.

Contributing Factors

- *Medical Emergency: When firefighters first responded to the scene, the patient (prior to the shooting) was not breathing adequately and required emergency medical attention. An autopsy confirmed the patient/shooter had methamphetamine, fentanyl, and 4-anilino-N-phenethyl-piperidine (4-ANPP, a metabolite of fentanyl or fentanyl analogues) in his system.*
- Scene Safety and Situational Awareness: After being revived with intravenous naloxone and exiting the bus under his own power, the patient produced a concealed handgun and fired at numerous firefighters, law enforcement, EMS, other workers, and civilians. Prior to the shooting, police officers made multiple attempts but did not complete a search of the patient.

Key Recommendations

- First responders and agencies who deliver medical assistance to patients who overdose should train staff on standard operating procedures (SOPs) for naloxone administration, including an understanding of the objective of naloxone therapy and the possibility, albeit unusual, of agitation and combativeness from persons after receiving naloxone.
- Fire, EMS, and police departments should take steps to help ensure scene safety including taking all necessary actions to protect themselves when providing lifesaving care to a patient. The fire service and standards setting organizations should consider developing scene safety SOPs and training that provide more detailed guidance on the specifics of keeping first responders safe while providing lifesaving care to patients.
- Authorities Having Jurisdiction (AHJs) (e.g. municipalities, areas, or departments) should consider developing SOPs or guides that specify when (1) a patient should receive a pat down to identify information that might be useful for patient care or identify items that pose a threat to the patient or responders and (2) a patient might be restrained if the patient poses a threat to themselves or the responders. These SOPs should specify who determines when a pat down is necessary and who is authorized to perform it. These SOPs should be operationalized, trained, and exercised by law enforcement, the fire service, and EMS as part of a Unified Command response.

The National Institute for Occupational Safety and Health (NIOSH) initiated the Fire Fighter Fatality Investigation and Prevention Program to examine deaths of fire fighters in the line of duty so that fire departments, fire fighters, fire service organizations, safety experts and researchers could learn from these incidents. The primary goal of these investigations is for NIOSH to make recommendations to prevent similar occurrences. These NIOSH investigations are intended to reduce or prevent future fire fighter deaths and are completely separate from the rulemaking, enforcement and inspection activities of any other federal or state agency. Under its program, NIOSH investigators interview persons with knowledge of the incident and review available records to develop a description of the conditions and circumstances leading to the deaths in order to provide a context for the agency's recommendations. The NIOSH summary of these conditions and circumstances in its reports is not intended as a legal statement of facts. This summary, as well as the conclusions and recommendations made by NIOSH, should not be used for the purpose of litigation or the adjudication of any claim.

For further information, visit the program Web site at www.cdc.gov/niosh/fire or call toll free 1-800-CDC-INFO (1-800-232-4636).

Introduction

On May 15, 2019, a career firefighter was fatally shot while on an EMS call for a drug overdose on a public intercity bus (Photo 1). A police officer and a civilian were also injured.

On June 4, 2019, the fire department contacted the NIOSH Firefighter Fatality Investigation and Prevention Program (FFFIPP) and requested assistance with an independent investigation of the incident.

On July 8, 2019, a NIOSH Medical Officer in the Hazard Evaluations and Technical Assistance Branch, Division of Field Studies and Engineering; a Senior Industrial Hygienist and Captain in the U.S. Public Health Service from the NIOSH Emergency Preparedness and Response Office; an Investigator/Safety and Occupational Health Specialist and an Investigator/Engineer with the NIOSH FFFIPP in the NIOSH Division of Safety Research traveled to Wisconsin to investigate this incident. The NIOSH investigators met with senior staff officers and representatives of the fire department. The NIOSH investigators met with and interviewed the career firefighters and fire



Photo 1. Incident scene. A career firefighter was killed, a police officer and a civilian were injured after being shot on an EMS incident after a patient who overdosed was revived and exited this bus. (Photo 1, courtesy local fire department, bus identification markings altered by NIOSH.)

department officers and the private EMS ambulance crew involved in the incident. The NIOSH investigators obtained and reviewed fire department training records, standard operating procedures (SOPs), incident scene photographs and drawings, training records, and medical records. The police officers who responded were not available to be interviewed. However, a redacted version of the official police report was provided from the neighboring police department that investigated the incident. The neighboring police department also provided redacted body camera footage for review by NIOSH investigators.

Fire Department

The fire department involved in this incident is a career department consisting of 87 uniformed members that provide fire suppression and non-transport first responder level, EMS protection. The fire department employs a total of 96 staff including 4 personnel in administration, 3 personnel in fire prevention and public education and 2 personnel in resource development and special operations. There are 6 fire stations located strategically throughout the city that serve a population of approximately 74,100 in a geographic area of approximately 25 square miles. These 6 stations house 8

heavy apparatus: 5 engines, 1 ladder truck, 1 Quint, and 1 command vehicle. The department also has trained personnel that cross-staff a heavy rescue truck, 2 water rescue craft, and a rapid response light rescue/hazardous materials unit.

The department has one Chief, one Deputy Chief, five Battalion Chiefs with one Battalion Chief on duty per shift, one Battalion Chief of fire prevention and public education, and one Battalion Chief of resource development and special operations. The Battalion Chiefs and career firefighters are assigned to one of 3 shifts that work 48 hours on and 96 hours off duty with a daily staffing of 29 personnel. The fire department does not utilize chief's aides or incident command technicians.

In 2018, the department responded to approximately 5030 incidents with approximately 3350 of those listed as EMS and rescue calls. The fatally injured firefighter responded from a station that responded to approximately 1400 emergency calls (909 of those were emergency medical service calls and rescue requests) in 2018.

The department has automatic mutual aid agreements with surrounding jurisdictions for EMS and structural fires. The department utilizes a county-wide computer aided dispatch system for emergency incidents in their city and a neighboring city and they also utilize a neighboring computerized dispatch system for emergency response in those counties. Under the automatic mutual aid agreements, the department responded to those jurisdictions 96 times in 2018. They also regularly train with those jurisdictions. The department also participates in the MABAS (Mutual Aid Box Alarm System) for statewide requests and had 9 MABAS related requests for assistance in 2018.

All members of this department are trained and licensed as either Emergency Medical Responders/First Responders (EMRs with Advanced Skills), Emergency Medical Technicians-Basic (EMT-Bs), or Emergency Medical Technicians-Paramedic (EMT-Ps) by the state of Wisconsin. In 2018, the department focused on training plans to upgrade their service to a full Emergency Medical Technician-Basic service. Emergency medical ambulance service, including transport, Basic Life Support (BLS), and Advanced Life Support (ALS), is provided by a private ambulance service.

In 2018, the department conducted pre-employment physical and psychological examinations for new hires and candidates in their promotional processes. All personnel directly involved in firefighting activities participate in the annual physical fitness testing.

The department reported that it has taken a proactive role in developing health and wellness programs that address the mental well-being and physical fitness of their firefighters. In 2018, a Health and Wellness Committee was formed to address the needs of firefighters, including behavioral health. Several fire department members participated in training on peer support and critical incident stress management. The department also engaged in wellness presentations with a member of the fire service trained in peer support and a licensed clinician that specialized in post tramatic stress disorder. Firefighter health programs are guided by National Fire Protection Association (NFPA) 1582, Standard on Comprehensive Occupational Medical Program for Fire Departments [NFPA 2018a].

Training and Experience

The state of Wisconsin requires training for firefighters that meets or exceeds the requirements of National Fire Protection Association (NFPA) 1001, Standard for Firefighter Professional Qualifications, [NFPA 2013a] for the topic areas of Firefighter I, Hazardous Materials Awareness, Hazardous Materials Operations, and First Responder. The state does not require annual recertification.

The fire department involved in this incident has a process that utilizes the local technical college Public Safety Training Center and a regional fire department hiring process to train and hire firefighters. The recruits are then required to complete an internal 6-week recruit academy and successfully complete an 18-month probation period.

A detailed description of the technical college's Public Safety Training Center as well as the department's training location is available in the Appendix A.

In the state of Wisconsin, administration of intranasal naloxone is within the scope of practice for the EMS provider categories in this fire department [Wisconsin Department of Health Services 2019]. Naloxone for intranasal use is carried on the department's EMS equipment. The department has a standard operating guideline for responding to "opiate overdose." This standard operating guideline suggests considering the administration of intranasal naloxone in 0.5 mg increments up to a maximum of 2 mg to unresponsive persons suspected of having an opioid overdose. The standard operating guideline reminds EMS providers that the objective of naloxone therapy is to "increase respiratory drive." It also informs EMS providers of the potential for a patient to become violent after receiving naloxone.

The career firefighter fatally shot in this incident had 14 years of fire service experience with this department. Fire department training records indicated that he had received training and certification in Firefighter I, Firefighter II, Hazardous Materials Technician, Fire Inspector, Fire Officer, Structural Collapse Technician, Emergency Vehicle Operator, Pump Operator, Aerial Apparatus Operator, Truck Company Operations, National Fire Academy Responding to Terrorism Basic Concepts, Emergency Medical Technician (EMT) training and certification, and was a Certified Fire Investigator. The career firefighter was working on his normal shift at the time of the incident. He was assigned to be the acting driver/engineer on engine 9321.

Although this incident began as a medical assist call and did not involve a known active shooter when it initially occurred, the following information describes the fire department's on-going training and planning for an active shooter event. The fire department in this incident had an established program and related policies for a response to an "Active Shooter and Rescue Task Force" event or incident. This included working with law enforcement agencies and EMS to develop and deliver hands-on training and equip their personnel with personal protective equipment (PPE). Over the past six-years, training and equipping of the fire department for an active shooter event resulted in having ballistic PPE issued for each riding position of all apparatus including the command vehicles. Additionally, members of the fire department worked collaboratively with law enforcement to provide Tactical Emergency Casualty Care (TECC) certified paramedics for their Special Weapons and Tactics (SWAT) Team. In addition to basic fire suppression training conducted in 2018, the department successfully developed procedures to prepare for a response to an "Active Shooter and Rescue Task Force" event or incident.

Equipment and Personnel

Units that initially responded to the report of a seizure on a bus:

- Engine 9321 with three personnel including an officer (lieutenant noted as FF 2), the victim (noted as FF 1), who was the driver of Engine 9321, and a jumpseat firefighter (noted as FF 3).
- Private ambulance with two paramedics.
- Self-dispatched police officer.

Timeline

The following timeline is a summary of events that occurred as the incident evolved. Not all incident events are included in this timeline. The times are approximate and were obtained by studying the dispatch records, audio recordings, witness statements, and other information in the report from the neighboring police department that investigated the incident. All times are based on the redacted body camera footage and redacted police report that contained the transit station closed circuit television footage timeline.

Key:

- LEO: Law Enforcement Officer
- FF: Firefighter
- TS: Transit Station
- CCTV: Closed Circuit Television

EVENT	TIME	SOURCE
911 medical emergency call received from TS.	17:32:30	LEO 1
A TS employee boarded bus.	17:36:00	TS CCTV
TS security officer boarded bus.	17:36:48	TS CCTV
LEO 1 arrived.	17:42:30	LEO 1
Engine 9321 arrived and crew boarded bus.	17:42:35	TS CCTV
Engine 9321 crew made contact with TS employee and unresponsive patient.	17:43:00	LEO 1
Firefighter (FF) 3 performed sternal rub. Patient unresponsive.	17:43:27	LEO 1
LEO 1 collected nearby bus riders' observations.	17:43:45	LEO 1

FF 2 and FF 3 provided medical attention to patient.	17:43:50	LEO 1
Private ambulance with Paramedic 1 and Paramedic 2 arrived on scene.	17:44:15	CCTV
LEO 1 contacted his supervisor.	17:45:19	LEO 1
FF 3 advised LEO 1 that the event was related to drugs, not a seizure as originally reported.	17:46:21	LEO 1
LEO 1 checked garbage in the bathroom of the bus for signs of drug use.	17:47:15	LEO 1
Paramedic 1 administered naloxone (0.5 mg) intravenously to patient.	17:49:45	LEO 1
Patient responded to intravenous naloxone but was dazed.	17:50:36	LEO 1
LEO 1 called police supervisor.	17:51:24	LEO 1
Paramedic 1 administered a second dose of naloxone (0.5 mg) intravenously to patient.	17:51:15	LEO1
LEO 1 called second person (likely police) to explain situation. Responders continued to talk with patient.	17:52:45	LEO 1
Paramedic advised patient he needed to go to the hospital.	17:54:40	LEO 1
LEO 1 also advised patient that he needed to go to the hospital.	17:54:45	LEO 1
Patient stated he took his wife's morphine pills on the bus.	17:56:05	LEO 1
LEO 1 asked Dispatch for a second unit. LEO 2 was dispatched.	17:56:30	LEO 1
Patient walked off the bus under his own power.	17:57:00	LEO 1
Once patient was off the bus, LEO 1 asked to check patient's pockets to make sure he did not have anything sharp.	17:57:20	LEO 1

Patient sat on cot facing LEC for a pat down (first request)	D 1 and ignored LEO 1's request	17:57:21	LEO 1
LEO 1 asked patient if he co (second request).	uld 'check him out real quick'	17:57:38	LEO 1
Patient asked to stand up.		17:57:39	LEO 1
LEO 1 stated "yes, it would pat you down real quick" (th	be helpful if you don't mind if I ird request).	17:57:41	LEO 1
Patient stated, "I have a prob	blem with that".	17:57:44	LEO 1
	s "anything on you that can hurt 'No, Sir." LEO 1 asked, "how ith that?"	17:57:49	LEO 1
Patient stated, "because I do	n't know what I have on me."	17:57:54	LEO 1
LEO 1 explained to the patie wanted to triple check (fourt	ent what happened to him and h request).	17:58:00	LEO 1
took 4 morphine pills prescr	tarted to stretch. Patient stated he ibed for his wife. Patient turned O 1 and up against the front of the	17:58:25	LEO 1
LEO 1 told patient, "I am go statement).	ing to pat you down" (fifth	17:59:05	LEO 1
Patient put his hands up to L "Wait, I need to check myse	EO 1 to avoid contact and said, lf first."	17:59:07	LEO 1
Patient began emptying his p	pockets.	17:59:16	LEO 1
ignored this request and con	down real quick then?" Patient tinued digging in his pockets. e to be a big deal. I just want to (sixth request).	17:59:25	LEO 1
Patient stated, "I don't need	medical treatment."	17:59:42	LEO 1

Patient continued to ignore LEO 1 and Paramedic 1. Patient stretched again and said his feet hurt.	18:00:10	LEO 1
LEO 1 advised patient to sit on the cot; patient refused.	18:01:04	LEO 1
LEO 2 arrived on the scene.	18:01:30	LEO 1
LEO 2 is briefed by LEO 1 and advised of patient's refusal to be patted down.	18:02:10	LEO 2
LEO 2 observed Paramedic 1 and patient.	18:02:13	LEO 1
LEO 1 continued to talk to patient.	18:02:30	LEO 1
LEO 1 called supervisory lieutenant and explained scenario. Patient continued to state why he "cannot go" to the hospital.	18:02:58	LEO 1
Patient argued with responders about his medical status. Patient stated he did not need medical assistance.	18:03:15	LEO 2
Patient refused to sit on cot.	18:03:33	LEO 2
Patient stated he preferred not to go to hospital.	18:03:53	LEO 2
Patient stated he did not want to get checked out. Patient stated that he needed to get home to his wife. Arguing continued.	18:04:20	LEO 2
Patient was told by responders and transit employee he could not get back on the bus if he was not medically cleared.	18:04:39	LEO 2
Patient stated he had to get home and pay rent and that his wife was in the hospital. Patient stated that his feet were starting to really hurt. TS employee explained he had to be medically evaluated before he could get back on the bus to go home.	18:05:27	LEO 2
LEO 2 advised patient to let Paramedics take him to hospital for an evaluation.	18:05:35	LEO 2
Patient stated his legs had been hurting for a while.	18:06:53	LEO 2

LEO 1 re-approached patient.	18:06:59	LEO 2
LEO 1 spoke with patient and explained voluntary treatment versus medical detention involving a Crisis Center evaluation.	18:07:02	LEO 1
Patient again said he "cannot" go to the hospital.	18:07:14	LEO 2
LEO 1 explained to patient why he needed medical attention.	18:07:20	LEO 2
Patient said he took morphine, not opioids.	18:07:50	LEO 2
Patient took deep breaths, crossed his arms, and said, "No, man." LEO 1 explained voluntary treatment versus medical detention involving a Crisis Center Evaluation again.	18:08:11	LEO 1
LEO 2 moved behind to view patient's body from behind.	18:08:15	LEO 2
LEO 1 again explained voluntary treatment versus medical detention involving a Crisis Center evaluation.	18:08:24	LEO 2
LEO 2 asked patient, "Real quick, do you have any weapons?"	18:08:41	LEO 2
Patient responded, "No Sir."	18:08:42	LEO 2
LEO 2 asked about weapons again and identified a bulge on patient's right side.	18:08:43	LEO 1/ LEO 2
Patient stated, "that's my phone."	18:08:43	LEO 2
LEO 2 told patient, "don't reach for it."	18:08:47	LEO 2
LEO 2 attempted to pat down patient but was physically grabbed by patient and deflected away.	18:08:47	LEO 1
Patient stated, "I have a problem with officers touching me man. I get nervous and stuff."	18:08:51	LEO 2
LEO 1 stated twice "Lift up your shirt then."	18:08:54	LEO 1
LEO 2 stated "Lift up your shirt then."	18:08:55	LEO 1

LEO 1 stated "we want to make sure everybody is safe."	18:08:59	LEO 1
Patient reached under his shirt with his right hand, flipped open the phone case.	18:08:58	LEO 2
LEO 1, LEO 2, FF 1, FF 2, FF 3, TS Security Officer, Paramedic 1, and Paramedic 2 can all be seen gathered in front of bus. Patient cannot be seen by this camera.	18:09:00	TS CCTV
LEO 2 yelled "Don't reach! Don't reach!"	18:09:02	LEO 2
Shooting started. LEO 2 had service weapon drawn and faced west. Everyone appeared alert and starting to move. FF 1, FF 3, Paramedic 1, and TS Security Officer moved south. FF 2 and Paramedic 2 moved north.	18:09:04	TS CCTV
LEO 2 continued to face west as Paramedic 2 moved north and FF 1 moved south. FF 1 had his back exposed to the shooting.	18:09:05	TS CCTV
LEO 2 continued to face west as FF 1 moved to the south with his arms near his torso and began to stumble to the concrete.	18:09:06	TS CCTV
TS Security Officer entered the TS.	18:09:06	TS CCTV
FF 1 stumbled to the concrete and rolled to the south. His left hand was near his torso.	18:09:07	TS CCTV
FF 1 tried to get up with both hands near his torso.	18:09:09	TS CCTV
FF 1 lay on his back. LEO 1 moved to the rear of bus on the driver's side with handgun pointed towards the northwest.	18:09:11	TS CCTV
LEO 1 notified "shots fired."	18:09:21	LEO 1
FF 3 went out the door of the TS and pointed toward FF 2 and Paramedic 2. FF 3 re-entered building, turned around, and went back outside. FF 3 then saw FF 1 on the ground and went toward him.	18:09:23	TS CCTV

FF 3 saw FF 1 and went to him from the northwest entrance of the TS and waved FF 2 and Paramedic 2 over to assist.	18:09:44	TS CCTV
FF 2 and Paramedic 2 left their cover and ran to FF 3 and FF 1.	18:09:56	TS CCTV
Cardiopulmonary resuscitation was started on FF 1.	18:10:25	TS CCTV
FF 1 was loaded on cot. Cardiopulmonary resuscitation continued.	18:11:40	TS CCTV
FF 2, FF 3, and Paramedic 2 pushed the cot to north and loaded FF 1 onto an ambulance	18:12:34	TS CCTV
Ambulance with FF 1 left the scene for the hospital.	18:13:12	TS CCTV

Personal Protective Equipment

At the time of the incident, the victim (FF 1), was wearing his station uniform, bunker pants and boots.

Weather

At approximately 5:30 p.m. Central Daylight Time, the weather in the immediate area was reported to be approximately 72 degrees Fahrenheit with a dew point of 37 degrees Fahrenheit and relative humidity of 29%. Wind conditions were 6 miles per hour from the south and partly cloudy with visibility of 10 miles [Weather Underground 2019]. Weather was not considered to be a contributing factor in this incident.

Investigation

On May 15, 2019, a career firefighter was fatally shot by a patient who had overdosed (referred to as "patient" in this report and also "patient/shooter" after opening fire) while on an EMS call. A police officer and a civilian were also injured after being shot.

At approximately 5:30 p.m., Engine 9321 and a private ambulance company crew consisting of two paramedics were dispatched to a patient who reportedly had a seizure on a public intercity bus at a transit station. The Engine 9321 consisted of a crew of 3 firefighters. The victim was a member of this crew. He was a career firefighter and was working at his normal duty station. A police officer also responded to the scene to assist the fire and EMS units. He was first on the scene.

Upon arrival at the scene, the responders found the patient seated in the rear of the bus. The patient was unresponsive. The patient had agonal (abnormal and inadequate) breathing and pinpoint pupils. Based on this initial assessment, the responders determined that opioid overdose was more likely than

seizure. The firefighters inserted a nasopharyngeal airway and provided bag-valve-mask ventilation with oxygen. A paramedic from the private ambulance company inserted an intravenous line. Once intravenous access was established, a paramedic from the ambulance company administered 0.5 mg of naloxone intravenously. The patient resumed spontaneous respiration and became responsive to stimuli. According to the private ambulance company's patient care report, due to "the lack of practical extrication methods," a second 0.5-mg dose of naloxone was given several minutes later "to allow the patient [to] self-extricate from the bus." The patient become fully responsive after the second dose of naloxone. The nasopharyngeal airway and ventilation were discontinued. The intravenous access was not removed.

The patient and responders exited the bus. A second police officer arrived as the responders and the patient were discussing transport to a hospital for further evaluation and treatment. The police officers asked the patient repeatedly if he had anything on his person that could harm the fire and/or EMS responders and requested to conduct a pat-down. Because the responders believed that the naloxone would wear off and that the patient would need further emergency medical assistance, they were attempting to talk the patient into being transported to the local hospital for follow-up medical care when the patient abruptly produced a handgun. The patient/shooter began firing shots at the EMS and fire crews and police officers. The EMS and fire crews and police officers ran for cover while the police officers returned fire. The patient/shooter and police officers exchanged gun fire while the patient/shooter took a civilian hostage and continued to fire until he was shot and secured in custody.

One firefighter (the workplace victim) was shot and collapsed while running for protection. A police officer was shot and injured while returning gun fire. The civilian hostage was also shot and injured. The firefighter was found unresponsive and immediately treated at the scene. The firefighter was transported to a local hospital by the ambulance that was on scene and was pronounced dead. The injured police officer was transported to the hospital by a fellow police officer and the civilian was transported by an additional ambulance to a hospital for care. The police officer and the civilian subsequently recovered from their injuries. The patient/shooter was provided treatment for his injuries and transported to a local hospital where he was pronounced dead.

Contributing Factors

Occupational injuries and fatalities are often the result of one or more contributing factors or key events in a larger sequence of events that ultimately result in the injury or fatality. NIOSH investigators identified the following items as key contributing factors in this incident that ultimately led to the fire fighter fatality:

- Medical Emergency: The incident began as a medical emergency in which the patient (prior to the shooting) was not breathing adequately and required emergency medical attention. An autopsy confirmed the patient/shooter had methamphetamine, fentanyl, and 4-anilino-N-phenethyl-piperidine (4-ANPP, a metabolite of fentanyl or fentanyl analogues) in his system.
- Scene Safety and Situational Awareness: After being revived with intravenous naloxone and exiting the bus under his own power, the patient produced a concealed handgun and fired at

numerous firefighters, police officers, EMS, transit workers, and civilians. Prior to the shooting, police officers made multiple attempts but did not complete a search of the patient.

Cause of Death

According to the medical examiner report, the firefighter died from a gunshot wound.

Recommendations

Recommendation #1: First responders and agencies who deliver medical assistance to patients who overdose should train staff on SOPs for naloxone administration, including an understanding of the objective of naloxone therapy and the possibility, albeit uncommon, of agitation and combativeness from persons after receiving naloxone.

Naloxone is a medication that temporarily reverses the effects of opioids. It can be given through an intranasal spray, into a muscle (intramuscular), under the skin (subcutaneous), or injected into a vein (intravenous) or the bone marrow (intraosseous). It works by blocking mu-opioid receptors in the body so opioids cannot exert their effect. Naloxone does not reverse overdoses from other drugs such as alcohol, benzodiazepines, cocaine, or amphetamines. Naloxone has a serum half-life of 30–90 minutes [Lynn and Galinkin 2018], which means that it is possible for its effects to wear off before the effects of some longer-acting opioids wear off. Partly because of this, over 90% of patients in the United States who receive naloxone from EMS providers are transported to the emergency department for more definitive treatment [Faul et al. 2017].

The objective of naloxone therapy administration by trained first responders and other medical personnel is to maintain adequate oxygenation and ventilation without provoking opioid withdrawal [Lavonas et al. 2015; National Association of State EMS Officials (NASEMSO) 2019]. A technical expert panel convened by NASEMSO in collaboration with the National Association of EMS Physicians and the American College of Emergency Physicians does not recommend giving an initial dose of naloxone sufficient to achieve full consciousness. In addition, repeat naloxone dosing should be administered only if the initial dose was inadequate or respiratory depression recurs [Williams et al. 2019]. The fire department's standard operating guidelines recognized this objective by reminding department members that upon naloxone administration "[patients] may not wake up ... we are only trying to increase respiratory drive." While the appropriate dose of naloxone is one that will restore and maintain respiratory function, the ideal dose of naloxone is not known [Lavonas et al. 2015].

Restoring full consciousness is not required for patient safety. Instead, it might precipitate withdrawal and agitation, reducing both patient safety and first responder safety. Symptoms of acute opioid withdrawal include irritability and agitation as well as body aches, increased heart rate, nausea and vomiting, diarrhea, increased tearing, runny nose, sweating, yawning, and goosebumps. Withdrawal symptoms are unpleasant but by themselves are not life-threatening to the patient [Clarke et al. 2005; Boyer 2012]. In addition, persons who receive naloxone might be upset that euphoric effects from opioids were halted [Feldman 2018].

By reversing the effects of opioids, naloxone might also induce agitation and combativeness by unmasking the effects of other substances that patients who overdose might have also used. Regardless of cause, agitation and combativeness after naloxone administration can pose safety concerns to the patient and first responders [Williams et al. 2019]. In a previous NIOSH health hazard evaluation of firefighter-EMS providers, 2 of 32 firefighters (4%) who had administered naloxone in the past 12 months as part of their job duties reported being injured on multiple occasions by a patient after naloxone administration. The incidents involved being kicked or being shoved downstairs or against a dresser [NIOSH 2017]. In a study of patients who received naloxone from EMS providers, 13% experienced agitation or combativeness [Belz et al. 2006].

Relevant agency SOPs should be followed in all emergency settings. To the extent feasible, naloxone therapy should be guided by the goal of respiratory support, and this goal should be incorporated into applicable SOPs. Since serious side effects from naloxone are very rare and giving naloxone to an unconscious person not experiencing opioid toxicity is very unlikely to cause further harm, considerations about dosing should not stop laypersons or first responders from giving naloxone to reverse opioid overdoses, which are potentially life-threatening.

In this incident, interviews with responders and reviewing the ambulance run report indicated that the patient was initially unresponsive and had agonal breathing and pinpoint pupils. After an initial 0.5 mg dose of intravenous naloxone, the patient resumed spontaneous respiration and became responsive to painful stimuli. A few minutes later, responders decided to give a second dose of naloxone "to allow [him to] self-extricate from the bus," which resulted in the patient becoming fully responsive and able to walk off the bus.

While it is not certain that stopping naloxone administration when the patient resumed breathing could have prevented the firefighter fatality, fire departments and other agencies that deliver medical care to patients who overdose should consider additional training on the objectives of naloxone therapy and the possibility for agitation and combativeness from persons after receiving naloxone. Fire departments and EMS agencies should also consider revising procedures to reinforce understanding of the objective of naloxone therapy and the administration of naloxone to meet the objective of respiratory support.

Background on the opioid overdose epidemic

The United States is currently in the midst of a drug overdose epidemic. First responders are likely to encounter drug overdoses in the course of their work, as shown by the statistics from multiple data sources outlined below.

First, the number of drug overdose deaths in the United States has been increasing [CDC 2020d,e]. In 2018, there were 67,367 drug overdose deaths, which corresponds to approximately 185 drug overdose deaths in the United States every day [Centers for Disease Control and Prevention (CDC) 2020a]. This represented a 50% increase from the drug overdose death rate in 2013, when the current wave of the opioid overdose epidemic marked by increases in deaths involving synthetic opioids began [CDC 2020c]. Opioids, especially synthetic opioids such as fentanyl and its analogues, are currently the main driver of drug overdose deaths. Although data from 2018 showed slight declines in the number of drug

overdose deaths overall [CDC 2020b,c], provisional data suggest that the number of overdose deaths from all drug and synthetic opioids has increased in 2019 and 2020 [CDC 2020d]. Approximately 70% of all drug overdose deaths in 2018 involved an opioid [CDC 2020b].

In Wisconsin, 1,075 people died from a drug overdose in 2018, representing a 28% increase from 2013 [Wisconsin Department of Health Services 2020]. Opioids were involved in 78% of drug overdose deaths in the state in 2018. Since 2013, the number of deaths involving synthetic opioids such as fentanyl in Wisconsin increased more than six times, from 80 deaths in 2013 to 504 deaths in 2018 [Wisconsin Department of Health Services 2020].

Second, the number of emergency department visits for suspected opioid overdoses has increased recently. During July 2016–September 2017, the number of emergency department visits for suspected opioid overdoses increased approximately 30% in the United States and 109% in Wisconsin [CDC 2018a].

Third, the number of EMS calls during which naloxone has been administered has increased [CDC 2018b; Faul et al. 2017]. Based on a national database of EMS events, there was an 82% increase in the number of patients who received naloxone from 95,012 in 2012 to 173,016 in 2015 [Faul et al. 2017]. Most of the 911 calls that resulted in naloxone administration (83.3%) did not specify drug ingestion or poisoning as the medical emergency [Faul et al. 2017].

Opioid overdose deaths have been described as occurring in three waves [CDC 2018c]. The first wave began with increased prescribing of opioids in the 1990s, which was associated with increases in overdose deaths due to prescription opioids. In the second wave, there were rapid increases in overdose deaths due to heroin, starting in 2010. The third wave, which began in 2013, corresponds to increases in overdose deaths involving synthetic opioids. In particular, fentanyl and fentanyl analogues have been implicated in this third wave, which is currently evolving.

Recommendation #2: Fire, EMS, and police departments and agencies who deliver medical assistance should develop SOPs that address the possibility of polydrug overdoses.

Recent reports suggest that opioids are commonly used with other substances. A recent analysis found that deaths from illicitly manufactured fentanyl increased in 2017–2018 and that stimulants were also present in approximately 60% of opioid-involved deaths [CDC 2019, 2020 a,b,c]. During January–June 2019, almost one-third of drug overdose deaths involved a combination of opioids and stimulants such as cocaine, methamphetamine, other illicit stimulants, and prescription stimulants [CDC 2020a]. Among non-fatal drug overdoses treated in emergency departments, the rate of overdoses that involved both opioids and amphetamines increased from 2018 to 2019 [CDC 2020d]. In addition, among urine drug tests done as part of routine medical care, the percentage of cocaine-positive and methamphetamine-positive samples that were also positive for fentanyl increased over time. By 2018, the percentage of co-positive samples ranged from 7.9% for methamphetamine and fentanyl to 17.6% for cocaine and fentanyl [LaRue et al. 2019]. Law enforcement data sources also suggest that fentanyl is being mixed with other drugs such as cocaine and methamphetamine [CDC 2018d]. Acute effects of stimulants such as cocaine and methamphetamine can be associated with agitation, restlessness, and anxiety [Aronson 2016; Cruickshank and Dyer 2009].

In this incident, postmortem toxicology reports for the patient/shooter indicated the presence of methamphetamine, among other compounds. In general, amphetamines stimulate the central nervous system. Acute effects of methamphetamine include euphoria, elevated heart rate and blood pressure, increased alertness, behavioral disinhibition, and anxiety. At higher doses, methamphetamine can induce psychosis [Cruickshank and Dyer 2009].

The relationship between the patient/shooter's actions and the presence of methamphetamine detected on postmortem toxicology cannot be determined with certainty. The presence of methamphetamine during testing at a single point in time does not indicate that the patient/shooter used methamphetamine chronically. While some studies suggest an association between methamphetamine use and homicide [Ellinwood 1971; Stretesky 2009], these studies involved individuals with chronic methamphetamine use, which is associated with changes in the brain [Cruickshank and Dyer 2009]. While methamphetamine use might be associated with several mechanisms that may motivate violence, such as inhibition of cues that normally control behavior, increased arousal, interference with interpersonal communication, and intensification of emotions, violent behavior is not inevitable even with chronic methamphetamine use [Sommers and Baskin 2006]. The presence of methamphetamine during testing at a single point in time does not indicate that the patient/shooter was a chronic methamphetamine user.

Furthermore, it is not possible to estimate the time of last use or methamphetamine concentration in the blood or brain prior to death from a postmortem toxicology test. Reasons include uncertainties about the dose used, timing of last use, route of administration, and rate of drug movement from other parts of the body into the bloodstream after death, a phenomenon called postmortem redistribution [Logan 2001; Schepers et al. 2003].

Additionally, recognizing the potential for agitation and combativeness from persons who have received naloxone, fire, EMS, and police departments should develop ways to coordinate responses to ensure scene safety if necessary. Other recommendations in this report provide guidance on actions that fire, EMS, and police departments can take to ensure scene and personnel safety.

Recommendation #3: Fire, EMS, and police departments should take steps to ensure scene safety including taking all necessary actions to protect themselves when providing lifesaving care to a patient. The fire service and standards setting organizations should consider developing scene safety SOPs and training that provide more detailed guidance on the specifics of keeping first responders safe while providing lifesaving care to patients.

Every situation is unique and has the potential to be unpredictable and should be treated as such by all responders, including the fire service. This event began with providing lifesaving care to a patient. The situation then very abruptly developed into an incident of workplace violence that resulted in the death of a firefighter by firearm homicide. Scene safety is critical to every response and should be an ongoing process throughout every response.

There are many references to scene safety in numerous trade journals for firefighters and EMS providers. Guidance about scene safety is generally outlined in NFPA 1500 [NFPA 2018a]. NFPA 3000 [NFPA 2018b] provides an outline of what an Active Shooter/Hostile Response (ASHER)

program should include. There are many different sources and variations of information and training that responders can receive regarding scene safety. A generic SOP template that could be adapted by each Authority Having Jurisdiction (AHJ) could be useful to the fire service as well as EMS providers to help standardize some of this information. The fire service and standard setting organizations should collaborate to develop best practices and training standards and/or SOPs that provide more detailed guidance on the specifics of scene safety assessment and the process of re-evaluating a scene as it changes throughout a response. Such an approach benefits both responders and members of the public.

At a minimum the SOPs should include all local resource capabilities, i.e., agencies and entities such as law enforcement, fire, EMS, and local hospitals. The SOPs should be based on a current risk assessment and should provide information on the scope and purpose of the SOP, how the health and safety of responders will be maintained, a guide for response actions, and mental health and recovery of the responders after an incident. The AHJ should ensure that plans are developed, maintained, evaluated by training and exercises, and updated as needed by all fire, EMS and police departments.

In this incident, while the patient was receiving medical assistance on the bus, it was clear that the scene was safe for law enforcement, firefighters, and paramedics to perform their duties. However, a scene should be re-evaluated periodically as the situation evolves. After the patient exited the bus under his own power, two law enforcement officers spoke with the patient about the need to determine if he had anything on him that could harm the paramedics or firefighters at the scene when they transported him to the hospital for further medical evaluation. This was part of the ongoing scene safety assessment.

In addition to the two law enforcement officers performing a scene safety assessment, there were two private ambulance company paramedics, three firefighters, two transit station employees, and one bus driver within several feet of the patient. Therefore, a total of 10 people were working within a few feet of the patient before this phase of the scene safety assessment was complete. Of those 10 workers, it appears that everyone except the bus driver was actively engaged in the conversation with the patient or monitoring the situation. (The bus driver did not engage the patient; he was preparing to back the bus away from the scene when shots were fired.)

In this incident it was clear from the multiple requests by law enforcement to search the patient that the responders did not know if the patient had anything on his person that could harm the patient or the responders. During the interviews, some of the fire and EMS responders indicated they stayed near the patient in order to either provide further medical assistance to the patient and/or to assist law enforcement. Fire department company officers and unit leaders should help to ensure that while some of the responders may need to be in close proximity of the patient, they may not all need to be. All of the responders should be aware of and act in their specific roles as needed by each event.

Given that any situation can change rapidly, unit or company officers should continually alert their crews to threats and position crews accordingly. There should be an ongoing assessment of an incident until the incident is determined to be under control. It is prudent to limit the number of firefighters, EMS providers, and other workers who are not actively engaged in scene safety assessment or patient care to be in close proximity until law enforcement has been able to determine if the scene is secure and safe.

Scene Safety Background

Additional information from the annex of NFPA 1500 Standard on Fire Department Occupational Safety, Health, and Wellness Program states that:

- Fire department members should not enter an environment where there is ongoing violence, or the threat of violence such as a person with weapons, without coordination with law enforcement personnel. This does not necessarily limit the ability of cross-trained fire/law enforcement personnel or specialty trained EMS providers from entering a violent scene to assist the law enforcement or fire department responders.
- Such situations include but are not limited to civil unrest, fights, violent crimes, drug-related situations, family disturbances, persons with altered mental status, and people interfering with fire department operations.
- The Firefighting Resources of California Organized for Potential Emergencies (FIRESCOPE) has developed ICS-701, Emergency Response to Tactical Law Enforcement Incidents [Firescope 2015], which might be useful in developing a standard operating procedure as per NFPA 1582 [NFPA 2018a].

Incidents that appear routine in nature can turn into a violent or hostile environment after the arrival of responding crews. A standard communication phrase, known only by communications personnel and other responders, can warn others of the dangers of the situation without triggering violence or hostilities. The "Mayday" or emergency button on a portable radio can also be used for responders to gain attention in a rapidly changing or escalating event. In many of the newer portable radios, once depressed, the emergency button provides an open airway (without the need for the responder to push a transmit button) for a number of seconds followed by a priority transmitting availability. This emergency button activates a signal at the emergency communications center requiring an action by a dispatcher.

The Essentials of Fire Fighting and Fire Department Operations defines situational awareness as "an awareness of the immediate surroundings" [IFSTA 2013]. All emergency responders operating at an incident need to maintain situational awareness and conduct a continuous risk assessment throughout the incident, reporting unsafe or changing conditions to the incident commander. Firefighters and emergency responders need to understand the importance of situational awareness and personal safety on the fireground.

On any emergency scene, every responder should be trained in situational awareness to be constantly alert for changing and unsafe conditions and be trained to avoid complacency. Situational awareness is a cognitive learned skill and it can be taught [NIOSH 2018]. This applies not only to conditions found directly related to the emergency scene (i.e., crash scene), but other hazards and dangers to the responder(s) from outside events or unsafe conditions or hostile environments. In order to have situational awareness, you must be able to perceive the threat, comprehend the threat, and predict what effect that threat may have on you. These elements—Perceive, Comprehend, and Predict—form the cornerstone of maintaining complete situational awareness [Brennan 2009, Gasaway 2013].

Recommendation #4: Authorities Having Jurisdiction (AHJs) (e.g. municipalities, areas, or departments) should consider developing SOPs or guides that specify when (1) a patient should receive a pat down to identify information that might be useful for patient care or identify items that pose a threat to the patient or responders and (2) a patient might be restrained if the patient poses a threat to themselves or the responders. These SOPs should specify who determines when a pat down is necessary and who is authorized to perform it. These SOPs should be operationalized, trained, and exercised by law enforcement, the fire service, and EMS as part of a Unified Command response.

Conducting pat downs when warranted is an important part of patient care and scene safety assessments. Pat downs may reveal information that can more quickly identify potential causes of the medical issue (e.g., finding a bottle of nitroglycerine tablets in the patient's pocket) or provide other information that is important for patient care (e.g., medical alert bracelet or emergency contact information). Pat downs may also reveal an item that can be immediately harmful, such as a weapon (e.g., knife or firearm) as well as items that can inadvertently be harmful to responders (e.g., a sharp object such as a needle). A risk assessment should be performed to determine if a pat down is appropriate according to the AHJ's laws and SOPs. Identifying a potential harm to the patient or responder can save the life of the patient, first responder, or both.

In this incident, the police were attempting to perform a search of the patient when the patient produced a concealed handgun and fired at the first responders. If permissible under the AHJ's laws and SOPs, one possible option could have been to perform a pat down of the patient after life-saving therapy was performed on the bus (e.g., airway management and administration of the first dose of naloxone), but before he was able to walk off the bus on his own power without his weapon being secured by law enforcement.

While some practitioners recommend the use of physical restraints before naloxone administration to protect patients and EMS providers [Gaddis and Watson 1992], most patients do not become agitated or combative after naloxone therapy. Fire and EMS departments should carefully weigh considerations such as patient distress associated with being restrained upon reversal with naloxone, respect for patient dignity and patient rights, and other concerns against the likelihood of agitation and combativeness that would result in patient or EMS provider injury in their restraint protocols to guide restraint use on a case-by-case basis.

Recommendation #5: Public or mass transportation companies should consider equipping their terminals/stations with transfer/evacuation devices that are capable of fitting down the aisles for patient removal.

A public or mass transportation company's emergency evacuation plan should include provisions for assisting personnel in moving people who have mobility issues. Numerous states have adopted legislation that requires building owners or operators to provide a means of egress for people with mobility impairments with minimum risk to the staff and the individual with impairments. Often this is accomplished by utilizing a transfer chair (see Photo 2). The general dimensions of transfer chairs vary but they are designed to fit narrow aisles on aircraft when assisting mobility impaired individuals on a

daily basis. Evacuation sleds or blankets could be another consideration for safely removing a mobility impaired patient depending on circumstances.

In this incident, the patient was unconscious and sitting in a window seat on the bus. The patient was above average in size and weight and there were concerns about being able to move him safely off the bus. The patient was brought out of his unconscious state primarily so that he could ambulate off the bus. If a narrow space transfer chair had been available, either on the bus or at the transit station, it may have been able to be used in the narrow aisle. The wheelchair hydraulic lift on the bus may have been able to get the patient off the bus, thus avoiding administration of the second dose of naloxone.




Photo 2. An example of a transfer chair ready for use in a transportation terminal. (Photo by © Kukota, Kateryna 2020/Getty Images).

Note: Although there is no evidence that the following recommendation would have prevented this fatality, it is being provided as a reminder of best practices for the fire service and other public safety agencies.

Recommendation #6: Fire, EMS, police departments and dispatch agencies should ensure that all responders have the information needed for their response and safety.

All agencies receiving calls for assistance should ensure important information for the response and responder safety is asked during the call taking process and that information is transferred into the dispatch and communicated to individual responding units. Critical information, such as the suspected presence of weapons, that can assist first responders with their safety needs, should be obtained and transmitted to all of the responding units to an emergency if known. This information can help establish the proper response urgency and prepare responders to more fully consider their own safety [NIOSH 2005, 2016]. It may also be a communication benefit to relay this information by radio as well as putting notes in the warning or information section of the Mobile Data Terminal (MDT).

Firefighters and EMS providers may not be sitting in front of an MDT or be able to scroll through and read important case notes such as this during an emergency response. These important messages should have a priority screen presence with some sort of visual stimuli to ensure it is noticed. This is not only important for the primary units assigned, but also fire department and EMS supervisors for those units.

When sensitive information cannot or should not be transmitted over the radio, the dispatcher should verbally prompt responding units to check and acknowledge case notes to complete the communications loop.

In this incident, the communications center received a call for assistance for a patient who reportedly had a seizure. There were no signs of a hazardous or dangerous scene, nor were there any indications of the patient being armed with a handgun. Given the information available at the time, the responding fire engine, ambulance crew, and police officers had no reason to expect that the patient was armed with a handgun based upon the information provided in the call.

References

Aronson JK, ed. [2016]. Cocaine. Meyler's side effects of drugs. 16th ed. Waltham, MA: Elsevier.

Belz D, Lieb J, Rea T, Eisenberg MS [2006]. <u>Naloxone use in a tiered-response emergency medical</u> <u>services system</u>. Prehosp Emerg Care *10*(4):468–471, http://dx.doi.org/10.1080/10903120600885134. Date accessed: October 2020.

Boyer EW [2012]. <u>Management of opioid analgesic overdose</u>. N Engl J Med *367*(2):146–155, http://dx.doi.org/10.1056/NEJMra1202561. Date accessed: October 2020.

Brennan C [2009]. Situational awareness. Fire service warrior, November 3, 2009.

CDC [2018a]. Vital Signs: <u>Trends in emergency department visits for suspected opioid overdoses</u> — United States, July 2016–September 2017. MMWR *67*(9): 279–285, https://dx.doi.org/10.15585/mmwr.mm6709e1. Date accessed: October 2020.

CDC [2018b]. <u>Naloxone administration frequency during emergency medical service</u> <u>events</u> — United States, 2012–2016. MMWR 67(31):850–853, http://dx.doi.org/10.15585/mmwr.mm6731a2. Date accessed: October 2020.

CDC [2018c]. <u>Understanding the epidemic</u>. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Injury Prevention and Control, https://www.cdc.gov/drugoverdose/epidemic/. Date accessed: October 2020.

CDC [2018d]. <u>Rising numbers of deaths involving fentanyl and fentanyl analogs, including carfentanil,</u> <u>and increased usage and mixing with non-opioids</u>. Health Alert Network Update 413. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office of Public Health Preparedness and Response, https://emergency.cdc.gov/han/han00413.asp. Date accessed: October 2020.

CDC [2019]. <u>Changes in opioid-involved overdose deaths by opioid type and presence of benzodiazepines, cocaine, and methamphetamine</u> — 25 States, July–December 2017 to January–June 2018. MMWR *68*(34):737–744; http://dx.doi.org/10.15585/mmwr.mm6834a2. Date accessed: October 2020.

CDC [2020a]. <u>Characteristics of drug overdose deaths involving opioids and stimulants</u> — 24 States and the District of Columbia, January–June 2019. MMWR *69*(35):1198–1197, http://dx.doi.org/10.15585/mmwr.mm6935a1. Date accessed: October 2020.

CDC [2020b]. <u>Drug and opioid-involved overdose deaths</u> — United States, 2017–2018. MMWR *69*(11):290–297, http://dx.doi.org/10.15585/mmwr.mm6911a4. Date accessed: October 2020.

CDC [2020c]. <u>Drug overdose deaths in the United States</u>, 1999–2018. NCHS Data Brief, no 356. Hyattsville, MD: National Center for Health Statistics, https://www.cdc.gov/nchs/data/databriefs/db356-h.pdf. Date Accessed: October 2020.

CDC [2020d]. Increase in fatal drug overdoses across the United States driven by synthetic opioids before and during the COVID-19 pandemic. Health Alert Network Update 438. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, Office of Public Health Preparedness and Response, https://emergency.cdc.gov/han/2020/han00438.asp. Date accessed: December 2020.

CDC [2020e]. Nonfatal drug and polydrug overdoses treated in emergency departments — 29 States, 2018–2019. MMWR *69*(34):1149–1155, http://dx.doi.org/10.15585/mmwr.mm6934a1. Date accessed: October 2020.

Clarke SF, Dargan PI, Jones AL [2005]. <u>Naloxone in opioid poisoning: Walking the tightrope</u>. Emerg Med J *22*(9):612–616, http://dx.doi.org/10.1136/emj.2003.009613. Date accessed: October 2020.

Cruickshank CC, Dyer KR [2009]. <u>A review of the clinical pharmacology of methamphetamine</u>. Addiction *104*(7):1085–1099, http://dx.doi.org/10.1111/j.1360-0443.2009.02564.x. Date accessed: October 2020.

C-TECC [2019]. <u>Guidelines for First Responders with a Duty to Act</u>. Committee for Tactical Causality Care. http://nspa1.org/wp-content/uploads/2020/09/4-2019_TECC_ALS_BLS_Guidelines_.pdf. Date Accessed: October 2020.

Ellinwood EH. [1971]. <u>Assault and homicide associated with amphetamine abuse</u>. Am J Psychiatry *127*(9):1170–1175, http://dx.doi.org/10.1176/ajp.127.9.1170. Date accessed: Oct. 2020.

Feldman N [2018]. <u>Opioid antidote can save lives but deciding when to use it can be challenging</u>. Washington, DC: NPR, https://www.npr.org/sections/health-shots/2018/10/29/660640838/opioid-antidote-can-save-lives-but-deciding-when-to-use-it-can-be-challenging. Date accessed: Oct. 2020.

Faul M, Lurie P, Kinsman JM, Dailey MW, Crabaugh C, Sasser SM [2017]. <u>Multiple naloxone</u> administrations among emergency medical service providers is increasing. Prehosp Emerg Care 21(4):411–419, http://dx.doi.org/10.1080/10903127.2017.1315203. Date accessed: Oct. 2020.

Firescope [2015]. <u>Firefighting Resources of California Organized for Potential Emergencies</u> (FIRESCOPE). ICS-701, Emergency Response to Tactical Law Enforcement Incidents https://firescope.caloes.ca.gov/ICS%20Documents/ICS%20701.pdf. Date accessed: Oct. 2020.

Gaddis GM, Watson WA. <u>Naloxone-associated patient violence: an overlooked toxicity?</u> Ann Pharmacother, *26*(2), 196–198, https://dx.doi.org/10.1177/106002809202600211. Date accessed: Oct. 2020.

Gasaway RB [2013]. Situational awareness for emergency response. Tulsa, OK: PennWell.

IAFF [2017]. <u>Mitigation of occupational violence to firefighters and EMS responders.</u> Washington, DC: International Association of Firefighters, Federal Emergency Management Agency contract no. HSFE20-15-Q-0053,

https://www.usfa.fema.gov/downloads/pdf/publications/mitigation_of_occupational_violence.pdf. Date accessed: Oct. 2020.

IFSTA [2013]. Essentials of fire fighting. Stillwater, OK: Fire Protection Publications, International Fire Service Training Association.

LaRue L, Twillman RK, Dawson E, Whitley P, Frasco MA, Huskey A, Guevara MG [2019]. <u>Rate of fentanyl positivity among urine drug test results positive for cocaine or methamphetamine</u>. JAMA Network Open 2(4):e192851–e192851, http://dx.doi.org/10.1001/jamanetworkopen.2019.2851. Date accessed: Oct. 2020.

Lavonas EJ, Drennan IR, Gabrielli A, Heffner AC, Hoyte CO, Orkin AM, Sawyer KN, Donnino MW [2015]. Part 10: <u>Special circumstances of resuscitation</u>. Circulation *132*(18):S501–S518, http://dx.doi.org/doi:10.1161/CIR.0000000000264. Date accessed: Oct. 2020.

Logan BK [2001]. <u>Amphetamines: An update on forensic issues.</u> J Anal Toxicol 25(5):400–404, http://dx.doi.org/10.1093/jat/25.5.400. Date accessed: Oct. 2020.

Lynn R, Galinkin JL [2018]. <u>Naloxone dosage for opioid reversal: Current evidence and clinical</u> <u>implications.</u> Ther Adv Drug Saf 9(1):63–88, http://dx.doi.org/10.1177/2042098617744161. Date accessed: Oct. 2020.

NASEMSO [2019]. <u>Model EMS protocol relating to naloxone administration by EMS personnel</u>. Falls Church, VA: National Association of State EMS Officials, https://nasemso.org/wpcontent/uploads/Model-EMS-Protocol-Relating-to-Naloxone-Administration-by-EMS-Personnel.pdf. Date accessed: Oct. 2020.

NFPA [2013a]. NFPA 1001 Standard for Firefighter Professional Qualifications, 2013 edition. National Fire Protection Association, Quincy MA.

NFPA [2013b]. NFPA 1582 Standard on Comprehensive Occupational Medical program for fire departments, 2018 edition. National Fire Protection Association, Quincy MA.

NFPA [2018a]. NFPA 1500 Standard on Fire Department Occupational Safety and Health Program, 2018 edition. National Fire Protection Association, Quincy MA.

NFPA [2018b]. NFPA 3000: Standard for an Active Shooter/Hostile Event Response (ASHER) Program, 2018 edition. National Fire Protection Association, Quincy MA.

NIOSH [1996]. <u>Violence in the workplace</u>. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, DHHS (NIOSH) Publication No. 96-100, https://www.cdc.gov/niosh/docs/96-100. Date accessed: October 2020.

NIOSH [2005]. <u>Career lieutenant killed and fire fighter injured by gunfire while responding to medical</u> <u>assistance call</u> – Kentucky. Morgantown, WV: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, F2004-11. https://www.cdc.gov/niosh/fire/reports/face200411.html. Date accessed: October 2020.

NIOSH [2014]. <u>Shift safety officer falls through hole in floor into basement of a vacant row house and dies from smoke inhalation</u> – Maryland. By Merinar T., Loflin M. Morgantown, WV: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, F2014-24. https://www.cdc.gov/niosh/fire/pdfs/face201424.pdf. Date accessed: October 2020.

NIOSH [2016]. <u>Career fire fighter killed and volunteer fire fighter seriously wounded when shot</u> <u>during a civilian welfare check</u> – Maryland. By Miles S.T., Merinar T. Morgantown, WV: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, F2016-06. https://www.cdc.gov/niosh/fire/pdfs/face201606.pdf. Date accessed: October 2020.

NIOSH [2017]. Evaluation of fire fighters' mental health symptoms and exposure to traumatic events, job stress, and bloodborne pathogens. By Wiegand DM, Chiu S. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, Health Hazard Evaluation Report 2017-0021-3293, https://www.cdc.gov/niosh/hhe/reports/pdfs/2017-0021-3293.pdf. Date accessed: October 2020.

NIOSH [2018]. <u>Career Captain Fatally Shot and a Fire Fighter Wounded by Arsonist while</u> <u>Responding to a Fire Alarm</u> - California. By Bowyer M., Hales T. Morgantown, WV: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, F2018-11. https://www.cdc.gov/niosh/fire/pdfs/face201811.pdf. Date accessed: October 2020.

Peek-Asa C, Howard J, Vargas L, Kraus JF [1997]. <u>Incidence of non-fatal workplace assault injuries</u> determined from employer's reports in California. J Occup Environ Med *39*(1):44–50, http://dx.doi.org/10.1097/00043764-199701000-00009. Date accessed: October 2020.

Schepers RJF, Oyler JM, Joseph RE, Cone EJ, Moolchan ET, Huestis MA [2003]. <u>Methamphetamine</u> and amphetamine pharmacokinetics in oral fluid and plasma after controlled oral methamphetamine administration to human volunteers. Clin Chem 49(1):121–132, http://dx.doi.org/10.1373/49.1.121. Date accessed: October 2020.

Sommers I, Baskin D [2006]. <u>Methamphetamine use and violence</u>. J Drug Issues *36*(1):77–96, http://dx.doi.org/10.1177/002204260603600104. Date accessed: October 2020.

Stretesky PB [2009]. <u>National case-control study of homicide offending and methamphetamine use</u>. J Interpersonal Violence *24*(6):911–924, http://dx.doi.org/10.1177/0886260508325011. Date accessed: October 2020.

USFA [2017]. <u>Mitigation of Occupational Violence to Firefighters and EMS Responders</u>. U.S. Fire Administration, 16825 South Seton Ave., Emmitsburg, MD 21727 https://www.usfa.fema.gov/downloads/pdf/publications/mitigation_of_occupational_violence.pdf. Date accessed: October 2020.

Weather Underground [2019]. <u>Weather history for Appleton</u>, WI, May 15, 2019, https://www.wunderground.com/history/daily/KATW/date/2019-5-15?req_city=Appleton&req_state=WI&req_statename=Wisconsin&reqdb.zip=54911&reqdb.magic=1 &reqdb.wmo=999999.

Williams K, Lang ES, Panchal AR, Gasper JJ, Taillac P, Gouda J, Lyng JW, Goodloe JM, Hedges M [2019]. <u>Evidence-based guidelines for EMS administration of naloxone</u>. Prehosp Emerg Care 23(6):749–763, http://dx.doi.org/10.1080/10903127.2019.1597955. Date accessed: October 2020.

Wisconsin Department of Health Services [2019]. <u>Wisconsin EMS scope of practice</u>. Madison, WI: Wisconsin Department of Health Services, Wisconsin Emergency Medical Services Section, https://www.dhs.wisconsin.gov/publications/p0/p00451.pdf. Date accessed: October 2020.

Wisconsin Department of Health Services [2020]. <u>Wisconsin Interactive Statistics on Health (WISH)</u> <u>data query system, drug overdose deaths module</u>. Madison, WI: Wisconsin Department of Health Services, Division of Public Health, Office of Health Informatics, https://www.dhs.wisconsin.gov/wish/index.htm. Date accessed: October 2020.

Investigator Information

This incident was investigated by Stephen T. Miles, Investigator/Safety and Occupational Health Specialist, and Matt Bowyer, Investigator/General Engineer with the Firefighter Fatality Investigation and Prevention Program, Surveillance and Field Investigations Branch, Division of Safety Research, NIOSH located in Morgantown, West Virginia. Additional NIOSH investigators and report co-authors were Dr. Sophia Chiu, Medical Officer, Hazard Evaluations and Technical Assistance Branch, Division of Field Studies and Engineering in Cincinnati, Ohio, and CAPT Jennifer Hornsby-Myers, industrial hygienist, U.S. Public Health Service, NIOSH Emergency Preparedness and Response Office in Morgantown, West Virginia.

An expert technical review was provided by Matthew Tobia, Fire Chief with the City of Harrisonburg, Virginia Fire Department. Chief Tobia is a thirty-year student of the fire service and past Chair of the of the International Association of Fire Chiefs Safety, Health and Survival Section.

A technical review was also provided by the National Fire Protection Association, Public Fire Protection Division.

Disclaimer

Mention of any company or product does not constitute endorsement by the National Institute for Occupational Safety and Health (NIOSH), Centers for Disease Control and Prevention. In addition, citations to websites external to NIOSH do not constitute NIOSH endorsement of the sponsoring organizations or their programs or products. Furthermore, NIOSH is not responsible for the content of these websites. All web addresses referenced in this document were accessible as of the publication date.

Appendix A. Detailed description of the Public Safety Training Center.

The Public Safety Training Center sits on 80 acres of land leased from the airport. This training center serves law enforcement, fire protection, and EMS professionals. The \$34.5 million project was made possible through a partnership with the AHJ airport and was funded through a district-wide referendum. It includes the following major elements:

• A 96,000 square-foot tactical lab and classroom building, which includes two indoor firing ranges, defensive tactics rooms, a fully equipped forensic laboratory, jail training area, EMS classrooms with an ambulance simulator, computer/dispatch laboratory, and an apparatus bay containing five double bays including a high bay for aerial trucks.

• A full emergency vehicle operation (EVOC) range with skid pad, skills pad, and pursuit track.

• Simulated village containing streets, intersections, two full-size residential homes and three commercial venues: gas station/convenience store, drive-up bank, and hotel/motel/bar. An additional building is designed for training forced entry, search and rescue, and tactical clearing.

• Comprehensive fire training ground, including a 6-story live burn tower, ladder training structure, numerous gas- or propane-fired props (e.g. car fire, residential and commercial gas meter fire, etc.), and technical rescue training facilities, including trench rescue, confined space and high- and low-angle rescue.

• A decommissioned Boeing 727 to be used for training on-board emergencies, such as medical emergencies, disruptive passengers, hostage situations, and so forth. A 3-car tank car simulated derailment to train response to hazardous material release.

• Four fully baffled outdoor firing ranges, including 50-yard, 100-yard, and a 300-yard sniper range with elevated platform.

• Currently under construction is a \$14 million addition in the form of an Aircraft Rescue and Fire Fighting (ARFF) live-burn training facility. When complete, it will contain an administrative building with two classrooms, three-bay apparatus room and a propane fueled aircraft frame (B-777) with multiple burn scenarios.

The fire department has a fire training site located at station 6 (also designated as the Special Operations Station). It houses most of the city's hazardous materials response capability along with their tactical hands-on training grounds. It contains county-wide assets that include an all-terrain vehicle and foam trailer. The Resource Development and Special Operations Division is located at Station 6 and under the direct supervision of a Battalion Chief. The division also includes a Training and Resource Development Specialist to assist in the day-to-day operations of the division.

The tactical training grounds consist of a 4-story concrete training tower. The building was developed to provide different building elevation on each side of the structure; including residential and commercial appearances. The facility is not designed for live fire but is able to provide simulated smoke conditions and utilize a Digital Fire Attack System which allows firefighters to locate and extinguish a simulated fire. There are additional venues that allow for ground and aerial ladders, ventilation, forcible entry, confined space rescue, rope rescue, building shoring, lifting and moving and concrete breeching.

In 2018, the department's division of training oversaw the annual basic skills assessment training that every member in the operations division completed. The division also oversaw the monthly safety committee facilitation and monthly training for firefighter, driver/engineer and company officer training. In 2018, the department recorded 12,558 hours of training. Annually, the department internally delivers a 6-week recruit fire academy for probationary firefighters. This academy is held at the training facility at Fire Station 6 and utilizes the Technical College's Public Safety Training Center for live burn and other specialty venues. Instructors in the academy include fire operations personnel assigned to fire stations throughout the city. Academy curriculum includes an orientation, lessons in fire behavior, the use of extinguishers, study of tools and equipment, discussions on communications and department policy, instruction on the use of ropes and knots, extensive training on personal protective equipment (PPE) and self-contained breathing apparatus (SCBA).

The academy utilizes classroom and practical training in ladders, fire hose, water supply, fire streams, forcible entry techniques, ventilation, search and rescue, salvage and overhaul, self-survival, and fire tactics. Members of the Fire Prevention and Public Education Division teach classes on fire detection and alarm systems, pre-plans, the basics of fire prevention, and about the many fire prevention and safety programs the department offers. The Special Operations Division teaches courses and practical evolutions in the areas of rope rescue and mechanical advantages, confined space rescue, hazardous materials response, and special equipment and techniques used in special operations.

In 2018, 31 department members trained at a higher level of water rescue and served as swift water rescue team members and rescue boat operators. Twenty-eight department members are designated as

swift water technicians. All members of the operations division receive annual in-the-water refresher training for water and ice rescue.