



Newly Reported COVID-19 Cases in Appleton  
by Week, with an Average per Week

■ New Cases Last 7 Days    — Weekly Average New Cases

**Table 1.** Two indicators being based on confirmed cases: Burden and Trajectory. A third indicator maps Burden and Trajectory indicators into one composite indicator.

Indicator	Definition	Classes			
Burden	Total number of cases per 100,000 in the last two weeks ( $B$ )	Low	$B \leq 10$		
		Moderate	$10 < B \leq 50$		
		Moderately High	$50 < B \leq 100$		
		High	$100 < B$		
Trajectory	Percent change in the last two weeks ( $T$ ), p-value from a test against $T = 0$ ( $p$ )	Shrinking	$T \leq -10\%$ and $p < 0.025$		
		Growing	$10\% \leq T$ and $p < 0.025$		
		Not changing (No Call)	Otherwise		
Case status indicator(Composite of burden and trajectory)	Summary concern based on Burden and Trajectory classifications		Shrinking	No Call	Growing
		Low	Low	Low	Medium
		Moderate	Medium	Medium	High
		Moderately High	Medium	High	High
		High	High	High	High

$34 + 40 = 74$  (2 week case counts)

$74 / 75,000 = .0010$  (Appleton population 75,000)

$.0010 \times 100,000 = 99$  (equals burden)

**Low** less than or equal to 10 per 100,000 people

**Moderate** greater than 10 but less than 50 per 100,000 people

**Moderately High** greater than 50 but less than 100 per 100,000 people

**High** is greater than 100 per 100,000 people

**Table 1.** Two indicators being based on confirmed cases: Burden and Trajectory. A third indicator maps Burden and Trajectory indicators into one composite indicator.

Indicator	Definition	Classes			
Burden	Total number of cases per 100,000 in the last two weeks ( $B$ )	Low	$B \leq 10$		
		Moderate	$10 < B \leq 50$		
		Moderately High	$50 < B \leq 100$		
		High	$100 < B$		
Trajectory	Percent change in the last two weeks ( $T$ ), p-value from a test against $T = 0$ ( $p$ )	Shrinking	$T \leq -10\%$ and $p < 0.025$		
		Growing	$10\% \leq T$ and $p < 0.025$		
		Not changing (No Call)	Otherwise		
Case status indicator(Composite of burden and trajectory)	Summary concern based on Burden and Trajectory classifications		Shrinking	No Call	Growing
		Low	Low	Low	Medium
		Moderate	Medium	Medium	High
		Moderately High	Medium	High	High
		High	High	High	High

COVID-19 Cases Per Age Group Comparison  
(Before Memorial Day and after Memorial Day)



Ages	Under 1	1 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50 - 54	55 - 59	60 - 64	65 - 69	70 - 74	75 - 79	80 - 84	85 and over
1/1/20 - 6/23/20	0.5%	1.6%	0.5%	0.5%	4.2%	8.0%	12.0%	10.0%	9.0%	8.0%	10.0%	9.0%	5.3%	6.0%	4.0%	4.2%	3.2%	1.6%	3.0%

Ages	Under 1	1 - 4	5 - 9	10 - 14	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 - 49	50 - 54	55 - 59	60 - 64	65 - 69	70 - 74	75 - 79	80 - 84	85 and over
5/18/20 - 6/23/20	0	2.0%	1.0%	1.0%	5.0%	12.0%	17.2%	11.0%	7.0%	9.0%	5.0%	9.0%	5.0%	4.0%	1.0%	3.0%	3.0%	1.0%	3.0%