

City of Appleton

100 North Appleton Street Appleton, WI 54911-4799 www.appleton.org

Legislation Details (With Text)

File #: 15-1843 Version: 1 Name:

Type: Report Action Item Status: Passed

File created: 11/4/2015 In control: Municipal Services Committee

On agenda: 11/10/2015 Final action: 11/18/2015

Title: Approve design for the 2018 S. Oneida Street (Skyline Bridge to Valley Road) Concrete Reconstruction Project as follows:

- From Valley Road to Murray Street: reconstruct roadway with concrete pavement to a width of 68' from back of curb to back of curb which would accommodate 2 thru lanes in each direction, a center two way left turn lane, and bike lanes in each direction. In addition, a 6' wide sidewalk would be constructed tight to the back of curb. This cross section would require approximately 2' of right of way acquisition from each side.

- From Murray Street to Calumet Street: continue the same proposed cross section as stated above including bike lanes, except the two way left turn lane would be a raised concrete median with a left turn lane on to Calumet Street and a left turn lane on to Murray Street. This is similar to the existing cross section. Right of way acquisition in this section would vary from 0 to 2' on the east side and 3' to 6' on the west side.
- From Calumet Street to Ramlen Court: continue similar cross section as previous section including bike lanes, with a raised concrete median and allowing a left turn lane on to Calumet Street. Right of way acquisition in this section would vary from 4' to 7' on the east side and 2' to 12' on the west side.
- From Ramlen Court to Foster Street: construct two lanes in each direction with bike lanes in each direction. Construct a left turn lane on to Ramlen Court.
- From Foster Street to McKinley Street: construct the same cross section as stated in the Valley Road to Murray Street section including bike lanes. The proposed two way left turn lane would transition into a left turn lane at Fremont Street and at Seymour Street. Construct a raised concrete median approximately 300' north of Seymour Street to prevent left turns out of the hospital parking lot. Right of way acquisition in this section would vary from 0' to 11' on the east side and 2' to 16' on the west side.
- From McKinley Street to Skyline Bridge: continue the two thru lanes in each direction and bike lanes in each direction. Construct a raised concrete median with a left turn lane on to Olde Oneida Street and a left turn lane into the Riverview Gardens driveway. Right of way acquisition in this section would vary from 1' to 13' on the west side only.
- Olde Oneida Street from Oneida Street to E. South River Street: reconstruct the roadway with concrete pavement to accommodate one thru lane in each direction, bike lanes in each direction and a right turn lane on to Oneida Street. Construct a 6' wide sidewalk tight to the back of curb on both sides. A cul-de-sac would be constructed on Orange Street to eliminate the intersection of Orange Street with Olde Oneida Street. Construct indented parking along the south side of Olde Oneida Street between Orange Street and Lincoln Street. All other on-street parking would be removed from Olde Oneida Street.
- Calumet Street from 650' west of Oneida Street to Jefferson Street: reconstruct the roadway with concrete pavement to accommodate two thru lanes in each direction, bike lanes in each direction, left turn lanes on to Oneida Street and a right turn lane from eastbound Calumet Street on to southbound Oneida Street. Construct a 6' wide sidewalk tight to the back of curb on both sides. Right of way acquisition in this section would vary from 0' to 12' on the north side and 0' to 5' on the south side.

File #: 15-1843. Version:	sion: 1	versi	-1843.	15-	#:	FIIE
---------------------------	---------	-------	--------	-----	----	------

- Marigold Mile: The proposed plan includes a 1' strip between the back of curb and the sidewalk for planting the marigolds along Oneida Street from Calumet Street to McKinley Street.

Sponsors:

Indexes:

Code sections:

Attachments:

Date	Ver.	Action By	Action	Result
11/18/2015	1	Common Council	approved	Pass
11/10/2015	1	Municipal Services Committee	recommended for approval	Pass

Approve design for the 2018 S. Oneida Street (Skyline Bridge to Valley Road) Concrete Reconstruction Project as follows:

- From **Valley Road to Murray Street**: reconstruct roadway with concrete pavement to a width of 68' from back of curb to back of curb which would accommodate 2 thru lanes in each direction, a center two way left turn lane, and bike lanes in each direction. In addition, a 6' wide sidewalk would be constructed tight to the back of curb. This cross section would require approximately 2' of right of way acquisition from each side.
- From **Murray Street to Calumet Street**: continue the same proposed cross section as stated above including bike lanes, except the two way left turn lane would be a raised concrete median with a left turn lane on to Calumet Street and a left turn lane on to Murray Street. This is similar to the existing cross section. Right of way acquisition in this section would vary from 0 to 2' on the east side and 3' to 6' on the west side.
- From Calumet Street to Ramlen Court: continue similar cross section as previous section including bike lanes, with a raised concrete median and allowing a left turn lane on to Calumet Street. Right of way acquisition in this section would vary from 4' to 7' on the east side and 2' to 12' on the west side.
- From **Ramlen Court to Foster Street**: construct two lanes in each direction with bike lanes in each direction. Construct a left turn lane on to Ramlen Court.
- From **Foster Street to McKinley Street**: construct the same cross section as stated in the Valley Road to Murray Street section including bike lanes. The proposed two way left turn lane would transition into a left turn lane at Fremont Street and at Seymour Street. Construct a raised concrete median approximately 300' north of Seymour Street to prevent left turns out of the hospital parking lot. Right of way acquisition in this section would vary from 0' to 11' on the east side and 2' to 16' on the west side.
- From **McKinley Street to Skyline Bridge**: continue the two thru lanes in each direction and bike lanes in each direction. Construct a raised concrete median with a left turn lane on to Olde Oneida Street and a left turn lane into the Riverview Gardens driveway. Right of way acquisition in this section would vary from 1' to 13' on the west side only.
- Olde Oneida Street from Oneida Street to E. South River Street: reconstruct the roadway with concrete pavement to accommodate one thru lane in each direction, bike lanes in each direction and a right turn lane on to Oneida Street. Construct a 6' wide sidewalk tight to the back of curb on

File #: 15-1843, Version: 1

both sides. A cul-de-sac would be constructed on Orange Street to eliminate the intersection of Orange Street with Olde Oneida Street. Construct indented parking along the south side of Olde Oneida Street between Orange Street and Lincoln Street. All other on-street parking would be removed from Olde Oneida Street.

- Calumet Street from 650' west of Oneida Street to Jefferson Street: reconstruct the roadway with concrete pavement to accommodate two thru lanes in each direction, bike lanes in each direction, left turn lanes on to Oneida Street and a right turn lane from eastbound Calumet Street on to southbound Oneida Street. Construct a 6' wide sidewalk tight to the back of curb on both sides. Right of way acquisition in this section would vary from 0' to 12' on the north side and 0' to 5' on the south side.
- **Marigold Mile**: The proposed plan includes a 1' strip between the back of curb and the sidewalk for planting the marigolds along Oneida Street from Calumet Street to McKinley Street.